

CERTIFICATE OF ANALYSIS



TORCH
Customer: 1601 N Powerline Rd, Suite 1
Pompano Beach, FL 33069

Batch #: BMP041223
Laboratory Number: ATL-12970

Report Issue Date: 4/18/2023
Order Date: 4/12/2023
Analysis Date: 4/18/2023

Sample Description:
D8 Pre Roll - Purple Haze



Extraction Technician: LL
Analytical Chemist: LL

Unit Weight: 2.7829g / Preroll

Abraham Gacaman
Laboratory Manager

CANNABINOID PROFILE

Analyte	LOQ (mg/g)	Results mg/preroll	%	Analyte	LOQ (mg/g)	Results mg/preroll	%	Analyte	LOQ (mg/g)	Results mg/preroll	%
CBDV-A	<0.06	N/D	N/D	THCV-A	<0.06	N/D	N/D	9S-HHC	<0.01	N/D	N/D
CBDV	<0.03	N/D	N/D	CBN	<0.03	4.70	0.17	CBC	<0.06	<LOQ	<LOQ
CBD-A	<0.03	2.06	0.07	D9-THC	<0.03	<LOQ	<LOQ	CBC-A	<0.03	3.67	0.13
CBG-A	<0.03	160.74	5.78	D8-THC	<0.03	505.85	18.18	THC-A	<0.03	0.54	0.02
CBG	<0.02	11.99	0.43	9R-D10-THC	<0.02	N/D	N/D	D9-THCP	<0.01	N/D	N/D
CBD	<0.01	10.05	0.36	9S-D10-THC	<0.02	N/D	N/D	D8-THCO	<0.02	N/D	N/D
THCV	<0.01	N/D	N/D	9R-HHC	<0.01	N/D	N/D				
Max Active THC				Total Active Cannabinoids							
0.54 0.02				679.29 24.41							
Max Active CBD				Total Cannabinoids							
11.85 0.43				699.68 25.14							

NOTES

Cannabidiol(CBD) Cannabidiol(VA) Cannabidiol(BD) Cannabidiol(CBD) Cannabidiol(CBD) Cannabidiol(CBD)
Tetrahydrocannabinol(THCV) Tetrahydrocannabinol(THCVA) Cannabinol(CBN) Delta-9-Tetrahydrocannabinol(D9-THC) Delta-8-Tetrahydrocannabinol(D8-THC)
9S-Delta-10-Tetrahydrocannabinol(9S-D10-THC) 9R-Delta-10-Tetrahydrocannabinol(9R-D10-THC) 9S-Hexahydrocannabinol(9S-HHC) 9R-Hexahydrocannabinol(9R-HHC)
Cannabichromene(CBC) Cannabichromene(CBCA) Tetrahydrocannabinol(THCA) Delta-9-Tetrahydrocannabinol(D9-THCP) Delta-8-Tetrahydrocannabinol(D8-THCO)

Document ID: ATL-225 Revision: 02 Effective Date: 7/15/2022
Reporting Limits will vary based on sample extraction weight used for the analysis. Accurate Test Lab, LLC utilizes based upon traceable Reference Standards and Certified Reference Material to calibrate analytical instruments along with proven analytical methods. The methods are applied in the most ethical manner following good laboratory practice guidelines.
The results of this report are based solely on the sample submitted and cannot be reproduced. Results only apply to samples within COA as received.
Certificate of Analysis shall not be reproduce except in full without approval of Accurate Test Lab, LLC.
N/D: Not Detected LOQ: Limit of quantification
Analysis Method: ATL-LCM-001. Accurate Test Lab estimated expanded uncertainty is 13% as per in VALIDATION AND VERIFICATION OF ATL-LCM-001 (ATL-500A)

