

The logo for Accurate Test Lab features a stylized blue 'A' with a black triangle at its base. Below the 'A', the word 'ACCURATE' is written in large, bold, blue capital letters, and 'TEST LAB' is written in smaller, black capital letters underneath. The background of the logo area shows a faint geometric pattern of intersecting lines.**Analysis Date:** 5/8/2023

B-8 Viva la Hamp

Analytical Chemist: LL

Abraham Jacaman
Laboratory Manager

Analyte	LOQ (mg/g)	Results mg/perroll	%
CBDV-A	<0.06	0.47	0.04
CBDV	<0.03	0.21	0.02
CBD-A	<0.03	0.30	0.02
CBG-A	<0.03	82.64	6.57
CBG	<0.02	12.16	0.97
CBD	<0.01	N/D	N/D
THCV	<0.01	N/D	N/D

Analyte	LOQ (mg/g)	Results mg/preroll	%
THCV-A	<0.06	N/D	N/D
CBN	<0.03	5.43	0.43
D9-THC	<0.03	<LOQ	<LOQ
D8-THC	<0.03	228.43	18.17
9R-D10-THC	<0.02	N/D	N/D
9S-D10-THC	<0.02	N/D	N/D
9R-HHC	<0.01	N/D	N/D

Analyte	LOQ (mg/g)	Results mg/preroll	%
9S-HHC	<0.01	N/D	N/D
CBC	<0.06	6.24	0.50
CBC-A	<0.03	1.27	0.10
THC-A	<0.03	N/D	N/D
D9-THCP	<0.03	N/D	N/D
D8-THCO	<0.02	N/D	N/D

Max Active THC	mg/preroll	%
	N/D	N/D
Max Active CBG	mg/preroll	%
	84.72	6.74

Total Active Cannabinoids	mg/per roll	%
	326.80	26.00
Total Cannabinoids	mg/per roll	%
	337.14	26.82

info@accuratetestlab.com