

CERTIFICATE OF ANALYSIS



Customer: Viva La Hemp
1071 NW 31st Ave Suite B2-A
Pompano Beach, FL 33069

Batch #: 600433
Laboratory Number: ATL-13201

Report Issue Date: 5/9/2023


Order Date: 4/27/2023

Analysis Date: 5/8/2023

Sample Description:

D8 Pre Roll Kief - Sour Diesel

Unit Weight: 1.4894g / Preroll



Extraction Technician: LL

Analytical Chemist: LL

Abraham Giacaman
Laboratory Manager

CANNABINOID PROFILE

Analyte	LOQ (mg/g)	Results mg/preroll	%
CBDV-A	<0.06	0.61	0.04
CBDV	<0.03	0.24	0.02
CBD-A	<0.03	0.42	0.03
CBG-A	<0.03	94.31	6.33
CBG	<0.02	14.76	0.99
CBD	<0.01	N/D	N/D
THCV	<0.01	N/D	N/D

Analyte	LOQ (mg/g)	Results mg/preroll	%
THCV-A	<0.06	N/D	N/D
CBN	<0.03	6.99	0.47
D9-THC	<0.03	<LOQ	<LOQ
D8-THC	<0.03	291.00	19.54
9R-D10-THC	<0.02	N/D	N/D
9S-D10-THC	<0.02	N/D	N/D
9R-HHC	<0.01	N/D	N/D

Analyte	LOQ (mg/g)	Results mg/preroll	%
9S-HHC	<0.01	N/D	N/D
CBC	<0.06	7.67	0.52
CBC-A	<0.03	1.53	0.10
THC-A	<0.03	N/D	N/D
D9-THCP	<0.03	N/D	N/D
D8-THCO	<0.02	N/D	N/D

Max Active THC	mg/preroll	%
	N/D	N/D
Max Active CBG	mg/preroll	%
	97.56	6.55

Total Active Cannabinoids	mg/preroll	%
	405.70	27.24
Total Cannabinoids	mg/preroll	%
	417.52	28.03

NOTES

Cannabidiol (CBD) Cannabidiol (CBD) Cannabidiol (CBD) Cannabidiol (CBD) Cannabidiol (CBD) Cannabidiol (CBD)
Tetrahydrocannabinol (THC) Tetrahydrocannabinol (THC) Tetrahydrocannabinol (THC) Tetrahydrocannabinol (THC) Tetrahydrocannabinol (THC) Tetrahydrocannabinol (THC)
9S-Delta-10-Tetrahydrocannabinol (9S-D10-THC) 9R-Delta-10-Tetrahydrocannabinol (9R-D10-THC) 9S-Hexahydrocannabinol (9S-HHC) 9R-Hexahydrocannabinol (9R-HHC)
Cannabichromene (CBC) Cannabichromene (CBC) Tetrahydrocannabinol (THC) Delta-9-Tetrahydrocannabinol (D9-THC) Delta-8-Tetrahydrocannabinol (D8-THC)

Document ID: ATL-225 Revision: 02 Effective Date: 7/15/2022

Reporting Limits will vary based on sample extraction weight used for the analysis. Accurate Test Lab, LLC utilizes based upon traceable Reference Standards and Certified Reference Material to calibrate analytical instruments along with proven analytical methods. The methods are applied in the most ethical manner following good laboratory practice guidelines.

The results of this report are based solely on the sample submitted and cannot be reproduced. Results only apply to samples within COA as received.

Certificate of Analysis shall not be reproduced except in full without approval of Accurate Test Lab, LLC.

N/D: Not Detected LOQ: Limit of quantification

Analysis Method: ATL-LCM-001. Accurate Test Lab estimated expanded uncertainty is 13% as per in VALIDATION AND VERIFICATION OF ATL-LCM-001 (ATL-500A)



(954) 515 - 0200

info@accuratetestlab.com

Accurate Test Lab, LLC >>> 2960 SW 23rd Terrace, Suite 104, Fort Lauderdale, FL 33312, USA >>>