



Report Number:	22-000811/D034.R000
Report Date:	02/02/2022
ORELAP#:	OR100028
Purchase Order:	210037
Received:	01/21/22 15:08

Customer:	KIK By Kalibloom						
Product identity:	Green Crack						
Project Number:	210037						
Client/Metrc ID:							
Laboratory ID:	22-000811-0022						

# Summary

yte	Result (%)			
THC⁺	82.3		CBD-Total	<loq< td=""></loq<>
THCV	0.367		L	
BT⁺	0.234	• 8-THC	THC-Total	<loq< td=""></loq<>
		<ul><li>8-THCV</li><li>CBT</li></ul>	(Reported in pe	rcent of total sample)

## **Residual Solvents:**

All analytes passing and less than LOQ.

## **Pesticides:**

- - - -

- -

All analytes passing and less than LOQ.

### **Terpenes:**

Analyte	Percent by weight	Percent of Total	Analyte	Percent by weight	Percent of Total
ß-Myrcene⁺	0.605	26.08%	ß-Caryophyllene <sup>†</sup>	0.484	20.86%
(R)-(+)-Limonene <sup>↑</sup>	0.329	14.18%	a-pinene <sup>†</sup>	0.163	7.03%
(-)-ß-Pinene <sup>†</sup>	0.150	6.47%	a-Bisabolol <sup>†</sup>	0.117	5.04%
Linalool <sup>†</sup>	0.104	4.48%	p-Cymene <sup>†</sup>	0.0978	4.22%
valencene <sup>†</sup>	0.0866	3.73%	Humulene <sup>†</sup>	0.0581	2.50%
Terpinolene <sup>†</sup>	0.0391	1.69%	(+)-fenchol <sup>†</sup>	0.0383	1.65%
(-)-a-Terpineol <sup>†</sup>	0.0293	1.26%	cis-ß-Ocimene <sup>†</sup>	0.0140	0.60%
Total Terpenes <sup>†</sup>	2.32	100.00%			

### Metals:

\_

Less than LOQ for all analytes.

\_ \_ \_ \_ \_ \_ \_ \_ \_ \_ \_ \_ \_

- -\_ \_ \_

Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.

- ---





**Report Number:** 22-000811/D034.R000 **Report Date:** 02/02/2022 ORELAP#: OR100028 Purchase Order: 210037 **Received:** 01/21/22 15:08

KIK By Kalibloom United States of America (USA)
Green Crack
210037
22-000811-0022
No
15.5 °C
Fedex

## **Sample Results**

Potency	Method J AO	AC 2015 V98-6 (n	nod) Units %	Batch: 2200694	Analyze: 1/26/22 5:21:00 AM
Analyte	As Dry	/ LOQ No			
		ight			
CBC	< LOQ	0.0953			
CBC-A <sup>†</sup>	< LOQ	0.0953			
CBC-Total <sup>†</sup>	< LOQ	0.179			• 8-THC
CBD	< LOQ	0.0953			8-THCV
CBD-A	< LOQ	0.0953			• СВТ
CBD-Total	< LOQ	0.179			
CBDV <sup>†</sup>	< LOQ	0.0953			
CBDV-A <sup>†</sup>	< LOQ	0.0953			
CBDV-Total <sup>†</sup>	< LOQ	0.178			
CBE <sup>†</sup>	< LOQ	0.0953			
CBG <sup>†</sup>	< LOQ	0.0953			
CBG-A <sup>†</sup>	< LOQ	0.0953			
CBG-Total	< LOQ	0.178			
CBL <sup>†</sup>	< LOQ	0.0953			
CBL-A <sup>†</sup>	< LOQ	0.0953			
CBL-Total <sup>†</sup>	< LOQ	0.179			
CBN	< LOQ	0.0953			
CBT <sup>†</sup>	0.234	0.0953			
$\Delta 8$ -THC <sup>†</sup>	82.3	0.953			
∆8-THCV	0.367	0.0953			
∆9-THC	< LOQ	0.0953			
THC-A	< LOQ	0.0953			
THC-Total	< LOQ	0.179			
THCV <sup>↑</sup>	< LOQ	0.0953			
THCV-A <sup>†</sup>	< LOQ	0.0953			
THCV-Total <sup>†</sup>	< LOQ	0.178			
Total Cannabinoids <sup>†</sup>	82.9				

Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.



Solvents

12423 NE Whitaker Way Portland, OR 97230 503-254-1794



Units µg/g

Method Residual Solvents by GC/MS

 Report Number:
 22-000811/D034.R000

 Report Date:
 02/02/2022

 ORELAP#:
 0R100028

 Purchase Order:
 210037

 Received:
 01/21/22 15:08

 Batch 220762
 Analyze

 Limits LOQ
 5000
 200 pass

 A)
 < LOQ</td>
 200
 pass

 A)
 < LOQ</td>
 5000
 200 pass

 A)
 < LOQ</td>
 5000
 200 pass

 A)
 < LOQ</td>
 30.0

 A)
 < LOQ</td>
 30.0

 A)
 < LOQ</td>
 410
 100 pass

Analyte	Result	Limits	LOQ	Status	Notes	Analyte	Result	Limits	LOQ	Status	Notes
1,4-Dioxane	< LOQ	380	100	pass		2-Butanol	< LOQ	5000	200	pass	
2-Ethoxyethanol	< LOQ	160	30.0	pass		2-Methylbutane	< LOQ		200		
						(Isopentane)					
2-Methylpentane	< LOQ		30.0			2-Propanol (IPA)	< LOQ	5000	200	pass	
2,2-Dimethylbutane	< LOQ		30.0			2,2-Dimethylpropane (neo-pentane)	< LOQ		200		
2,3-Dimethylbutane	< LOQ		30.0			3-Methylpentane	< LOQ		30.0		
Acetone	< LOQ	5000	200	pass		Acetonitrile	< LOQ	410	100	pass	
Benzene	< LOQ	2.00	1.00	pass		Butanes (sum)	< LOQ	5000	400	pass	
Cyclohexane	< LOQ	3880	200	pass		Ethyl acetate	< LOQ	5000	200	pass	
Ethyl benzene	< LOQ		200			Ethyl ether	< LOQ	5000	200	pass	
Ethylene glycol	< LOQ	620	200	pass		Ethylene oxide	< LOQ	50.0	20.0	pass	
Hexanes (sum)	< LOQ	290	150	pass		Isopropyl acetate	< LOQ	5000	200	pass	
Isopropylbenzene	< LOQ	70.0	30.0	pass		m,p-Xylene	< LOQ		200		
(Cumene)											
Methanol	< LOQ	3000	200	pass		Methylene chloride	< LOQ	600	60.0	pass	
Methylpropane (Isobutane)	< LOQ		200			n-Butane	< LOQ		200		
n-Heptane	< LOQ	5000	200	pass		n-Hexane	< LOQ		30.0		
n-Pentane	< LOQ		200			o-Xylene	< LOQ		200		
Pentanes (sum)	< LOQ	5000	600	pass		Propane	< LOQ	5000	200	pass	
Tetrahydrofuran	< LOQ	720	100	pass		Toluene	< LOQ	890	100	pass	
Total Xylenes	< LOQ		400			Total Xylenes and Ethyl benzene	< LOQ	2170	600	pass	

www.columbialaboratories.com

Page 3 of 15

Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.





Report Number:	22-000811/D034.R000
Report Date:	02/02/2022
ORELAP#:	OR100028
Purchase Order:	210037
Received:	01/21/22 15:08

Pesticides	Method	AOAC	2007.01 & EN	15662 (mod)	Units mg/kg	Batch 2200719	Analy	ze 01/27/22 09:18 AM
Analyte	Result	Limit	s LOQ Status	Notes	Analyte	Result	Limits	LOQ Status Notes
Abamectin	< LOQ	0.50	0.250 pass		Acephate	< LOQ	0.40	0.250 pass
Acequinocyl	< LOQ	2.0	1.00 pass		Acetamiprid	< LOQ	0.20	0.100 pass
Aldicarb	< LOQ	0.40	0.200 pass		Azoxystrobin	< LOQ	0.20	0.100 pass
Bifenazate	< LOQ	0.20	0.100 pass		Bifenthrin	< LOQ	0.20	0.100 pass
Boscalid	< LOQ	0.40	0.200 pass		Carbaryl	< LOQ	0.20	0.100 pass
Carbofuran	< LOQ	0.20	0.100 pass		Chlorantranilipro	ole < LOQ	0.20	0.100 pass
Chlorfenapyr	< LOQ	1.0	0.500 pass		Chlorpyrifos	< LOQ	0.20	0.100 pass
Clofentezine	< LOQ	0.20	0.100 pass		Cyfluthrin	< LOQ	1.0	0.500 pass
Cypermethrin	< LOQ	1.0	0.500 pass		Daminozide	< LOQ	1.0	0.500 pass
Diazinon	< LOQ	0.20	0.100 pass		Dichlorvos	< LOQ	1.0	0.500 pass
Dimethoate	< LOQ	0.20	0.100 pass		Ethoprophos	< LOQ	0.20	0.100 pass
Etofenprox	< LOQ	0.40	0.200 pass		Etoxazole	< LOQ	0.20	0.100 pass
Fenoxycarb	< LOQ	0.20	0.100 pass		Fenpyroximate	< LOQ	0.40	0.200 pass
Fipronil	< LOQ	0.40	0.200 pass		Flonicamid	< LOQ	1.0	0.400 pass
Fludioxonil	< LOQ	0.40	0.200 pass		Hexythiazox	< LOQ	1.0	0.400 pass
Imazalil	< LOQ	0.20	0.100 pass		Imidacloprid	< LOQ	0.40	0.200 pass
Kresoxim-methyl	< LOQ	0.40	0.200 pass		Malathion	< LOQ	0.20	0.100 pass
Metalaxyl	< LOQ	0.20	0.100 pass		Methiocarb	< LOQ	0.20	0.100 pass
Methomyl	< LOQ	0.40	0.200 pass		MGK-264	< LOQ	0.20	0.100 pass
Myclobutanil	< LOQ	0.20	0.100 pass		Naled	< LOQ	0.50	0.250 pass
Oxamyl	< LOQ	1.0	0.500 pass		Paclobutrazole	< LOQ	0.40	0.200 pass
Parathion-Methyl	< LOQ	0.20	0.200 pass		Permethrin	< LOQ	0.20	0.100 pass
Phosmet	< LOQ	0.20	0.100 pass		Piperonyl butox	ide < LOQ	2.0	1.00 pass
Prallethrin	< LOQ	0.20	0.200 pass		Propiconazole	< LOQ	0.40	0.200 pass
Propoxur	< LOQ	0.20	0.100 pass		Pyrethrin I (tota	l) < LOQ	1.0	0.500 pass
Pyridaben	< LOQ	0.20	0.100 pass		Spinosad	< LOQ	0.20	0.100 pass
Spiromesifen	< LOQ	0.20	0.100 pass		Spirotetramat	< LOQ	0.20	0.100 pass
Spiroxamine	< LOQ	0.40	0.200 pass		Tebuconazole	< LOQ	0.40	0.200 pass
Thiacloprid	< LOQ	0.20	0.100 pass		Thiamethoxam	< LOQ	0.20	0.100 pass
Trifloxystrobin	< LOQ	0.20	0.100 pass					

 www.columbialaboratories.com
 Page 4 of 15

 Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.


 Testing in accordance with: OAR 333-007-0400 OAR 333-007-0410
 OAR 333-007-0430





Report Number:	22-000811/D034.R000
Report Date:	02/02/2022
ORELAP#:	OR100028
Purchase Order:	210037
Received:	01/21/22 15:08

Terpenes	Method	J AOAC	2015 V98-6		Units % Batch 2	200827	Analyz	ze 01/28/22	05:57 PM
Analyte	Result	LOQ	% of Total	Notes	Analyte	Result	LOQ	% of Total	Notes
ß-Myrcene⁺	0.605	0.019	26.078%		ß-Caryophyllene <sup>↑</sup>	0.484	0.019	20.862%	
(R)-(+)-Limonene <sup>†</sup>	0.329	0.019	14.181%		a-pinene <sup>†</sup>	0.163	0.019	7.026%	
(-)-ß-Pinene <sup>†</sup>	0.150	0.019	6.466%		a-Bisabolol <sup>†</sup>	0.117	0.019	5.043%	
Linalool <sup>†</sup>	0.104	0.019	4.483%		p-Cymene <sup>†</sup>	0.0978	0.019	4.2155%	
valencenet	0.0866	0.019	3.7328%		Humulene <sup>†</sup>	0.0581	0.019	2.5043%	
Terpinolenet	0.0391	0.019	1.6853%		(+)-fenchol <sup>†</sup>	0.0383	0.019	1.6509%	
(-)-a-Terpineol⁺	0.0293	0.019	1.2629%		cis- <sup>®</sup> -Ocimene <sup>†</sup>	0.0140	0.006	0.6034%	
Camphenet	< LOQ	0.019	0.00%		Geranyl acetate <sup>†</sup>	< LOQ	0.019	0.00%	
Geraniol <sup>†</sup>	< LOQ	0.019	0.00%		nerol <sup>†</sup>	< LOQ	0.019	0.00%	
(-)-Guaiol⁺	< LOQ	0.019	0.00%		(-)-caryophyllene oxide <sup>+</sup>	< LOQ	0.019	0.00%	
(±)-Camphor <sup>↑</sup>	< LOQ	0.019	0.00%		a-Terpinene <sup>†</sup>	< LOQ	0.019	0.00%	
d-3-Carene <sup>†</sup>	< LOQ	0.019	0.00%		gamma-Terpinene <sup>†</sup>	< LOQ	0.019	0.00%	
(+)-Pulegone⁺	< LOQ	0.019	0.00%		Menthol <sup>†</sup>	< LOQ	0.019	0.00%	
(-)-lsopulegol <sup>†</sup>	< LOQ	0.019	0.00%		farnesenet	< LOQ	0.019	0.00%	
(±)-cis-Nerolidol <sup>↑</sup>	< LOQ	0.019	0.00%		Sabinene hydrate <sup>†</sup>	< LOQ	0.019	0.00%	
Isoborneol <sup>†</sup>	< LOQ	0.019	0.00%		(+)-Borneol⁺	< LOQ	0.019	0.00%	
(+)-Cedrol <sup>†</sup>	< LOQ	0.019	0.00%		(±)-fenchone <sup>†</sup>	< LOQ	0.019	0.00%	
(±)-trans-Nerolidol <sup>†</sup>	< LOQ	0.019	0.00%		a-cedrene <sup>†</sup>	< LOQ	0.019	0.00%	
a-phellandrene <sup>†</sup>	< LOQ	0.019	0.00%		Eucalyptol <sup>†</sup>	< LOQ	0.019	0.00%	
Sabinenet	< LOQ	0.019	0.00%		trans-&-Ocimene <sup>†</sup>	< LOQ	0.013	0.00%	
Total Terpenes	2.32								



Result	Limits	Units	LOQ	Batch	Analyze	Method	Status	Notes
< LOQ	0.200	mg/kg	0.0352	2200758	01/27/22	AOAC 2013.06 (mod.)	pass	Х
< LOQ	0.200	mg/kg	0.0352	2200758	01/27/22	AOAC 2013.06 (mod.)	pass	Х
< LOQ	0.500	mg/kg	0.0352	2200758	01/27/22	AOAC 2013.06 (mod.)	pass	Х
< LOQ	0.100	mg/kg	0.0176	2200758	01/27/22	AOAC 2013.06 (mod.)	pass	Х
	< LOQ < LOQ < LOQ	< LOQ 0.200 < LOQ 0.200 < LOQ 0.500	< LOQ 0.200 mg/kg < LOQ 0.200 mg/kg < LOQ 0.500 mg/kg	< LOQ 0.200 mg/kg 0.0352 < LOQ 0.200 mg/kg 0.0352 < LOQ 0.500 mg/kg 0.0352	<ul> <li>&lt; LOQ</li> <li>0.200 mg/kg</li> <li>0.0352</li> <li>2200758</li> <li>&lt; LOQ</li> <li>0.200 mg/kg</li> <li>0.0352</li> <li>2200758</li> <li>LOQ</li> <li>0.500 mg/kg</li> <li>0.0352</li> <li>2200758</li> </ul>	<ul> <li>&lt; LOQ</li> <li>0.200 mg/kg</li> <li>0.0352</li> <li>2200758</li> <li>01/27/22</li> <li>&lt; LOQ</li> <li>0.200 mg/kg</li> <li>0.0352</li> <li>2200758</li> <li>01/27/22</li> <li>&lt; LOQ</li> <li>0.500 mg/kg</li> <li>0.0352</li> <li>2200758</li> <li>01/27/22</li> <li>&lt; LOQ</li> </ul>	<ul> <li>&lt; LOQ</li> <li>0.200 mg/kg</li> <li>0.0352</li> <li>2200758</li> <li>01/27/22</li> <li>AOAC 2013.06 (mod.)</li> <li>&lt; LOQ</li> <li>0.200 mg/kg</li> <li>0.0352</li> <li>2200758</li> <li>01/27/22</li> <li>AOAC 2013.06 (mod.)</li> <li>&lt; LOQ</li> <li>0.500 mg/kg</li> <li>0.0352</li> <li>2200758</li> <li>01/27/22</li> <li>AOAC 2013.06 (mod.)</li> <li>&lt; LOQ</li> <li></li> </ul>	<ul> <li>&lt; LOQ</li> <li>0.200 mg/kg</li> <li>0.0352</li> <li>2200758</li> <li>01/27/22</li> <li>AOAC 2013.06 (mod.)</li> <li>pass</li> <li>&lt; LOQ</li> <li>0.200 mg/kg</li> <li>0.0352</li> <li>2200758</li> <li>01/27/22</li> <li>AOAC 2013.06 (mod.)</li> <li>pass</li> <li>&lt; LOQ</li> <li>0.500 mg/kg</li> <li>0.0352</li> <li>2200758</li> <li>01/27/22</li> <li>AOAC 2013.06 (mod.)</li> <li>pass</li> </ul>

- - - -

 www.columbialaboratories.com
 Page 5 of 15

 Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.

 Testing in accordance with: OAR 333-007-0400 OAR 333-007-0410
 OAR 333-007-0430





 Report Number:
 22-000811/D034.R000

 Report Date:
 02/02/2022

 ORELAP#:
 OR100028

 Purchase Order:
 210037

 Received:
 01/21/22 15:08

These test results are representative of the individual sample selected and submitted by the client.

### Abbreviations

Limits: Action Levels per OAR-333-007-0400, OAR-333-007-0210, OAR-333-007-0220, CCR title 16-division 42. BCC-section 5723

Limit(s) of Quantitation (LOQ): The minimum levels, concentrations, or quantities of a target variable (e.g., target analyte) that can be reported with a specified degree of confidence.

<sup>†</sup> = Analyte not NELAP accredited.

## Units of Measure

μg/g = Microgram per gram mg/kg = Milligram per kilogram = parts per million (ppm) % = Percentage of sample % wt = μg/g divided by 10,000

**Glossary of Qualifiers** X: Not ORELAP accredited.

Approved Signatory

Derrick Tanner General Manager

www.columbialaboratories.com

Page 6 of 15

Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.



D

La 1

DS 1/21/2 12423 NE Whitaker Way Portland, OR 97230 503-254-1794



**Report Number:** 22-000811/D034.R000 **Report Date:** 02/02/2022 **ORELAP#:** OR100028 Purchase Order: 210037 **Received:** 01/21/22 15:08

	S		Revision		nain	of Cu CF023	ustody	<b>/ Reco</b> /26/202	rd		/202				÷
Company: Kik By Kg1. Contact: Taylor Street: $3315$ E Russel City: <u>Las vigas</u> state: N $\square$ Email Results: <u>Kaliblamiavid</u> th: () $\square$ Fx Results: I Billing (if different): Billing (if different): Chen Sample Identification Ber Kush Biscott i Chen Sample Identification Chen Sample Identification Ber Kush Chen Care Contact Chen Care Contact Chen Care Contact Chen Care Contact Chen Contact Ch	Rel S N zip: <u>S</u> Vauvide (	HE A-51 PS120		XXXXX MADIS			Request					Project Proje Custom R Report to	t Number: ect Name: eporting: State - 🗌 M nd time: 🗌 S	2 0037 2 0037 IETRC or D Other: tandard X Rush * Price *Ask for availability Comments/M	rrity Rush *
Gushers King Louis XIII Lenon Cake Paraba Rosin			XXX XXX	L X X X X	XXXX	XXXX								-	
Relinquished By:	Date	Time		R	eceived	By:		1/21	ie 22	Tim - S:		Evidence Sample in	of cooling: C	Lab Use Only: or □ Client drop ] Yes   □ No - Temp (°C): ion: □ Yes   □ No ] CC   □ Net:	

s: Vegitation (V) ; Isolates (S) ; Extract/Concentrate (C)

Samples submitted to Columbia Laboratories with testing requirements constitute an agreement for services in accordance with the current terms of service associated with this COC. By signing "Relinquished by" you are agreeing to these terms P: (503) 254-1794 | Fax: (503) 254-1452 Page of 12423 NE Whitaker Way www.columbialaboratories.com info@columb ias rom . .

www.columbialaboratories.com

Page 7 of 15

Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.



12423 NE Whitaker Way Portland, OR 97230 503-254-1794





he was	Columbia LABORATORIES A Tentamus Company	Hemp / Cannabis Usable / Ex Chain of Custody Record Revision: 3.01 Control#: CF023 Rev 02/26/2020 Et ORELAP ID: OR100028	
	Company: Kik By kaliblasm Contact: Taylor Street: 3315 E Russel Re st 44 City: 244 Car state: N/Zip: 89R0 Email Results: Kaliblasmuth e Pornal Denie Client Sample Identification Date Time Rust? Lab ID Client Sample Identification Date Time Rust? Lab D Client Sample Identification Date Time Rust? Lab D Client Sample Identification Date Time Rust? Lab D Client Sample Identification Date Time Rust? D Client Sample Identification Date Time Rust? Rust? D Client Sample Identification Date Time Rust? Rust	Analysis Requested Analysis Requested Standard Standard Standard St	PO Number:
A - 5.	Relinguished By: Date Time		Time Lab Use Only:
		PS 1/21/22	15:08       Wishipped Via:        In Clerk drop         Evidence of cooling: □ Yes   □ No - remp (°C):       S.S~Z         Sample in good condition: □ Ves   □ No       In Cash   □ Check   □ CC   □ Net:         Prelog storage:       Prelog storage:
		t Sample Type Codes: Vegitation (V) : Isolates (S) :	Extract/Concentrate (C)

Samples submitted to Columbia Laboratories with testing requirements constitute an agreement for services in accordance with the current terms of service associated with this COC. By signing "Relinquished by" you are agreeing to these terms Page \_\_\_\_\_of \_\_\_\_\_ www.columbialaboratories.com P: (503) 254-1794 | Fax: (503) 254-1452 12423 NE Whitaker Way info@columbialaboratories.com Portland, OR 97230 . .

Page 8 of 15

Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.





.

1	Columbia
	Columbia
	LABORATORIES
	A Tentamus Company

Hemp / Cannabis Usable / Extract Chain of Custody Record Revision: 3.01 Control#: CF023 Rev 02/26/2020 Eff: 02/27/2020

ORELAP ID: OR100028

Company: <u>Kik by Kaliban</u> Contact: <u>Taylov</u> Street: <u>3315 É Russel</u> rd StEA4 City: <u>F3410 Lv</u> state: <u>N</u> Zip: <u>89120</u> Email Results: <u>Kaliboonwordwich Cgrue</u>					s Requests	đ			PO Number: Project Number: Project Name: Custom Reporting: Report to State - D METRC or D Other: Turnaround time: Standard 🖾 Rush * D Priority Rush *
Ph: () □ Fx Results: () Billing (if different): Lab ID Client Sample tuentification Date Time Green Gark Main Wawle	L × Bental	X X List		K × Terpere					*Ask for availability Sampled by: Sample Weight Type + (Units) Comments/Metrc ID
Reinguished By: Date Time			Receive	(By)		and the second	ite 27	_{S-0	Lab Use Only:           Shipped Via:           Yes           Shipped Via:           Yes           Sample in good condition:           Yes           Cash   Check   CC   Net:           Prelog storage:

+ - Sample Type Codes: Vegitation (V) ; Isolates (S) ; Extract/Concentrate (C)

Samples submitted to Columbia Laboratories with testing requirements constitute an agreement for services in accordance with the current terms of service associated with this COC. By signing "Relinquished by" you are agreeing to these terms
12423 NE Whitaker Way
Portland, OR 97230
info@columbialaboratories.com
www.columbialaboratories.com

www.columbialaboratories.com

Page 9 of 15

Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.

Columbia LABORATORIES A Tentamus Company	12423 NE Whitaker Way Portland, OR 97230 503-254-1794	Report Nu Report Dat ORELAP#: Purchase Received:	te: 02/02/2022 : OR100028
Columbia LABORATORIES A Tentamus Company		Document ID: 3177 Rev Effective: 06/2: Page	
Job Number:	Search Name:		
<ul> <li>Tracking Number (written in or copy of shipp</li> <li>5) Was packing material used?</li> <li>Peanuts Bubble Wrap Foam Paper (1)</li> <li>6) Was temperature upon receipt 4°C+- 2°C (if applif not, client contacted: Proceed?</li> <li>7) Was there evidence of cooling?</li> <li>What kind? Plane is a second secon</li></ul>	initials):	NA NA NA NA NA NA NA NA NA NA NA NA NA N	

 Www.columbialaboratories.com
 Page 10 of 15

 Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.

 Testing in accordance with: OAR 333-007-0400 OAR 333-007-0410
 OAR 333-007-0430





Report Number:	22-000811/D034.R000
Report Date:	02/02/2022
ORELAP#:	OR100028
Purchase Order:	210037
Received:	01/21/22 15:08

Revision: 1 Document ID: 7148

Legacy ID: Worksheet Validated 04/20/2021

		Labor	atory (		ontrol Results		
JAOAC2015 V98				Bat	ch ID: 2200694		
Laboratory Contr	ol Sample						
Analyte	Result	Spike	Units	% Rec	Limits	Evaluation	Notes
CBDVA	0.197	0.2	%	98.5	85.0 - 115	Acceptable	
CBDV	0.212	0.2	%	106	85.0 - 115	Acceptable	
CBE	0.200	0.2	%	100	85.0 - 115	Acceptable	
CBDA	0.203	0.2	%	101	85.0 - 115	Acceptable	
CBGA	0.196	0.2	%	98.2	85.0 - 115	Acceptable	
CBG	0.191	0.2	%	95.4	85.0 - 115	Acceptable	
CBD	0.192	0.2	%	96.2	85.0 - 115	Acceptable	
THCV	0.186	0.2	%	92.8	85.0 - 115	Acceptable	
d8THCV	0.191	0.2	%	95.6	85.0 - 115	Acceptable	
THCVA	0.195	0.2	%	97.7	85.0 - 115	Acceptable	
CBN	0.190	0.2	%	95.1	85.0 - 115	Acceptable	
exo-THC	0.182	0.2	%	90.8	85.0 - 115	Acceptable	
d9THC	0.185	0.2	%	92.4	85.0 - 115	Acceptable	
d8THC	0.179	0.2	%	89.5	85.0 - 115	Acceptable	
CBL	0.180	0.2	%	90.0	85.0 - 115	Acceptable	
CBC	0.188	0.2	%	93.9	85.0 - 115	Acceptable	
THCA	0.192	0.2	%	96.2	85.0 - 115	Acceptable	
CBCA	0.201	0.2	%	100	85.0 - 115	Acceptable	
CBLA	0.205	0.2	%	103	85.0 - 115	Acceptable	
OBT	0.227	0.2	%	113	85.0 - 115	Acceptable	

### Method Blank

Analyte	Result	LOQ	Units	Limits	Evaluation	Notes
CBDVA	⊲LOQ	0.1	%	< 0.1	Acceptable	
CBDV	<loq< td=""><td>0.1</td><td>%</td><td>&lt; 0.1</td><td>Acceptable</td><td></td></loq<>	0.1	%	< 0.1	Acceptable	
CBE	<loq< td=""><td>0.1</td><td>%</td><td>&lt; 0.1</td><td>Acceptable</td><td></td></loq<>	0.1	%	< 0.1	Acceptable	
CBDA	⊲LOQ	0.1	%	< 0.1	Acceptable	
OBGA	⊲LOQ	0.1	%	< 0.1	Acceptable	
CBG	<loq< td=""><td>0.1</td><td>%</td><td>&lt; 0.1</td><td>Acceptable</td><td></td></loq<>	0.1	%	< 0.1	Acceptable	
CBD	<loq< td=""><td>0.1</td><td>%</td><td>&lt; 0.1</td><td>Acceptable</td><td></td></loq<>	0.1	%	< 0.1	Acceptable	
THCV	<loq< td=""><td>0.1</td><td>%</td><td>&lt; 0.1</td><td>Acceptable</td><td></td></loq<>	0.1	%	< 0.1	Acceptable	
d8THCV	<loq< td=""><td>0.1</td><td>%</td><td>&lt; 0.1</td><td>Acceptable</td><td></td></loq<>	0.1	%	< 0.1	Acceptable	
THCVA	<loq< td=""><td>0.1</td><td>%</td><td>&lt; 0.1</td><td>Acceptable</td><td></td></loq<>	0.1	%	< 0.1	Acceptable	
CBN	<loq< td=""><td>0.1</td><td>%</td><td>&lt; 0.1</td><td>Acceptable</td><td></td></loq<>	0.1	%	< 0.1	Acceptable	
exo-THC	<loq< td=""><td>0.1</td><td>%</td><td>&lt; 0.1</td><td>Acceptable</td><td></td></loq<>	0.1	%	< 0.1	Acceptable	
d9THC	<loq< td=""><td>0.1</td><td>%</td><td>&lt; 0.1</td><td>Acceptable</td><td></td></loq<>	0.1	%	< 0.1	Acceptable	
d8THC	<loq< td=""><td>0.1</td><td>%</td><td>&lt; 0.1</td><td>Acceptable</td><td></td></loq<>	0.1	%	< 0.1	Acceptable	
CBL	<loq< td=""><td>0.1</td><td>%</td><td>&lt; 0.1</td><td>Acceptable</td><td></td></loq<>	0.1	%	< 0.1	Acceptable	
CBC	<loq< td=""><td>0.1</td><td>%</td><td>&lt; 0.1</td><td>Acceptable</td><td></td></loq<>	0.1	%	< 0.1	Acceptable	
THCA	<loq< td=""><td>0.1</td><td>%</td><td>&lt; 0.1</td><td>Acceptable</td><td></td></loq<>	0.1	%	< 0.1	Acceptable	
OBCA	⊲LOQ	0.1	%	< 0.1	Acceptable	
CBLA	⊲LOQ	0.1	%	< 0.1	Acceptable	
CBT	<loq< td=""><td>0.1</td><td>%</td><td>&lt; 0.1</td><td>Acceptable</td><td></td></loq<>	0.1	%	< 0.1	Acceptable	

Abbreviations

ND - None Detected at or above MRL RPD - Relative Percent Difference

LOQ - Limit of Quantitation

Units of Measure:

%- Percent

Page 11 of 15
www.columbialaboratories.com
Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan
unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless
prior arrangements have been made.
Tester exception of the samples are received by the laboratory of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless
prior arrangements have been made.





Report Number:	22-000811/D034.R000
Report Date:	02/02/2022
ORELAP#:	OR100028
Purchase Order:	210037
Received:	01/21/22 15:08

Revision: 1 Document ID: 7148

Legacy ID:	Worksheet	Validated	04/20/2021

			Labo	ratory C	Quality Co	ntrol Results		
JAOAC2015 V						ch ID: 2200694		
Sample Duplica	ate				Samp	ole ID: 22-00080	0-0021	
Analyte	Result	Org. Result	LOQ	Units	RPD	Limits	Evaluation	Notes
CBDVA	⊲LOQ	<loq< td=""><td>0.1</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.1	%	NA	< 20	Acceptable	
CBDV	⊲LOQ	<loq< td=""><td>0.1</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.1	%	NA	< 20	Acceptable	
CBE	⊲LOQ	⊲LOQ	0.1	%	NA	< 20	Acceptable	
CBDA	⊲LOQ	⊲LOQ	0.1	%	NA	< 20	Acceptable	
OBGA	⊲LOQ	⊲LOQ	0.1	%	NA	< 20	Acceptable	
CBG	⊲LOQ	<loq< td=""><td>0.1</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.1	%	NA	< 20	Acceptable	
CBD	⊲LOQ	<loq< td=""><td>0.1</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.1	%	NA	< 20	Acceptable	
THCV	⊲LOQ	<loq< td=""><td>0.1</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.1	%	NA	< 20	Acceptable	
d8THCV	0.427	0.415	0.1	%	2.86	< 20	Acceptable	
THCVA	⊲LOQ	<loq< td=""><td>0.1</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.1	%	NA	< 20	Acceptable	
CBN	⊲LOQ	<loq< td=""><td>0.1</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.1	%	NA	< 20	Acceptable	
exo-THC	⊲LOQ	<loq< td=""><td>0.1</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.1	%	NA	< 20	Acceptable	
d9THC	⊲LOQ	<loq< td=""><td>0.1</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.1	%	NA	< 20	Acceptable	
d8THC	87.4	87.5	0.1	%	0.12	< 20	Acceptable	
CBL	⊲LOQ	<loq< td=""><td>0.1</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.1	%	NA	< 20	Acceptable	
CBC	⊲LOQ	<loq< td=""><td>0.1</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.1	%	NA	< 20	Acceptable	
THCA	⊲LOQ	<loq< td=""><td>0.1</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.1	%	NA	< 20	Acceptable	
OBCA	⊲LOQ	⊲LOQ	0.1	%	NA	< 20	Acceptable	
CBLA	⊲LOQ	⊲LOQ	0.1	%	NA	< 20	Acceptable	
CBT	0.572	0.418	0.1	%	31.1	< 20	Outlier	R, Q6

### Abbreviations

ND - None Detected at or above MRL

RPD - Relative Percent Difference

LOQ - Limit of Quantitation

R - Relative percent difference (RPD) outside control limit.

Q6 - Quality control outside QC limits. Data acceptable based on remaining QC Units of Measure:

%- Percent

Page 12 of 15
www.columbialaboratories.com
Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan
unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.



**Report Number:** 22-000811/D034.R000 **Report Date:** 02/02/2022 ORELAP#: OR100028 Purchase Order: 210037 **Received:** 01/21/22 15:08

Revision: Document ID: Legacy ID: Effective:

												Lega
	Lab	orator	y Qua	lity Contro	ol Results							
Residual Solvents					1		tch ID:	22007	52			
Method Blank						ry Control S						
Analyte	Result		LOQ	Notes	Result	Spike	Units	% Rec	-	imits	Notes	
Propane	ND	<	200		472	401	µg/g	117.7	70	- 13	80	
Isobutane	ND	<	200		541	498	µg/g	108.6	70	- 13	80	
Butane	ND	<	200		550	493	µg/g	111.6	70	- 13	80	
2,2-Dimethylpropane	ND	<	200		798	628	µg/g	127.1	70	- 13	80	
Methanol	ND	<	200		1870	1610	µg/g	116.1	70	- 13	80	
Ethylene Oxide	ND	×	30		43.2	37.2	µg/g	116.1	70	- 13	80	
2-Methylbutane	ND	<	200		1830	1630	µg/g	112.3	70	- 13	80	
Pentane	ND	v	200		1860	1610	µg/g	115.5	70	- 13	80	
Ethanol	ND	<	200		1760	1630	µg/g	108.0	70	- 13	80	
Ethyl Ether	ND	<	200		1830	1610	µg/g	113.7	70	- 13	80	
2,2-Dimethylbutane	ND	<	30		192	165	µg/g	116.4	70	- 13	80	
Acetone	ND	<	200		1850	1610	µg/g	114.9	70	- 13	80	
2-Propanol	ND	<	200		1760	1610	µg/g	109.3	70	- 13	80	
Acetonitrile	ND	<	100		576	498	µg/g	115.7	70	- 13	80	
2,3-Dimethylbutane	ND	<	30		182	162	µg/g	112.3	70	- 13	80	
Dichloromethane	ND	<	60		550	498	µg/g	110.4	70	- 13	80	
2-Methylpentane	ND	<	30		196	167	µg/g	117.4	70	- 13	30	
3-Methylpentane	ND	<	30		195	179	µg/g	108.9	70	- 13	80	
Hexane	ND	<	30		187	164	µg/g	114.0	70	- 13	80	
Ethyl acetate	ND	<	200		1830	1620	µg/g	113.0	70	- 13	80	
2-Butanol	ND	<	200		1830	1600	µg/g	114.4	70	- 13	80	
Tetrahydrofuran	ND	<	100		550	500	μg/g	110.0	70	- 13	80	
Cyclohexane	ND	<	200		1670	1610	µg/g	103.7	70	- 13	80	
Benzene	ND	<	1		5.99	5.62	µg/g	106.6	70	- 13	80	
Isopropyl Acetate	ND	<	200		1750	1610	µg/g	108.7	70	- 13	80	
Heptane	ND	<	200		1780	1610	μg/g	110.6	70	- 13	80	
1,4-Dioxane	ND	<	100		583	502	μg/g	116.1	70	- 13	80	
2-Ethoxyethanol	ND	<	30		191	164	µg/g	116.5	70	- 13	80	
Ethylene Glycol	ND	<	200		627	502	ня/я	124.9	70	- 13	_	
Toluene	ND	<	200		527	488	µg/g	108.0	70	- 13		
Ethylbenzene	ND	<	200		1010	965	ня/я	104.7	70	- 13	_	
m,p-Xylene	ND	<	200		1030	990	μg/g	104.0	70	- 13	_	
p-Xvlene	ND	<	200		976	971	µв/в	104.5	70	- 13	_	
Eumene	ND	~	30		176	179	<u>µg/g</u>	98.3	70	- 13	_	

Page 13 of 15

Page 13 of 15
www.columbialaboratories.com
Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan
unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.





**Report Number:** 22-000811/D034.R000 **Report Date:** 02/02/2022 **ORELAP#:** OR100028 Purchase Order: 210037 01/21/22 15:08 **Received:** 

Revision: Document ID: Legacy ID: Effective:

QC - Sample Duplicate	Result Ora, Result LOQ Units				Sample ID: 22-000811-0011				
Analyte		Org. Result			RPD	Limits	Accept/Fail	Notes	
Propane	ND	ND	200	µg/g	0.0	< 20	Acceptable		
Isobutane	ND	ND	200	µg/g	0.0	< 20	Acceptable		
Butane	ND	ND	200	µg/g	0.0	< 20	Acceptable		
2,2-Dimethylpropane	ND	ND	200	µg/g	0.0	< 20	Acceptable		
Methanol	ND	ND	200	µg/g	0.0	< 20	Acceptable		
Ethylene Oxide	ND	ND	30	µg/g	0.0	< 20	Acceptable		
2-Methylbutane	ND	ND	200	µg/g	0.0	< 20	Acceptable		
Pentane	ND	ND	200	µg/g	0.0	< 20	Acceptable		
Ethanol	ND	ND	200	µg/g	0.0	< 20	Acceptable		
Ethyl Ether	ND	ND	200	µg/g	0.0	< 20	Acceptable		
2,2-Dimethylbutane	ND	ND	30	µg/g	0.0	< 20	Acceptable		
Acetone	ND	ND	200	µg/g	0.0	< 20	Acceptable		
2-Propanol	528	524	200	µg/g	0.8	< 20	Acceptable		
Acetonitrile	ND	ND	100	µg/g	0.0	< 20	Acceptable		
2,3-Dimethylbutane	ND	ND	30	µg/g	0.0	< 20	Acceptable		
Dichloromethane	ND	ND	60	µg/g	0.0	< 20	Acceptable		
2-Methylpentane	ND	ND	30	µg/g	0.0	< 20	Acceptable		
3-Methylpentane	ND	ND	30	µg/g	0.0	< 20	Acceptable		
Hexane	ND	ND	30	µg/g	0.0	< 20	Acceptable		
Ethyl acetate	ND	ND	200	µg/g	0.0	< 20	Acceptable		
2-Butanol	ND	ND	200	µg/g	0.0	< 20	Acceptable		
Tetrahydrofuran	ND	ND	100	µg/g	0.0	< 20	Acceptable		
Cyclohexane	ND	ND	200	µg/g	0.0	< 20	Acceptable		
Benzene	ND	ND	1	µg/g	0.0	< 20	Acceptable		
Isopropyl Acetate	ND	ND	200	µg/g	0.0	< 20	Acceptable		
Heptane	ND	ND	200	µg/g	0.0	< 20	Acceptable		
1,4-Dioxane	ND	ND	100	µg/g	0.0	< 20	Acceptable		
2-Ethoxyethanol	ND	ND	30	µg/g	0.0	< 20	Acceptable		
Ethylene Glycol	ND	ND	200	µg/g	0.0	< 20	Acceptable		
Toluene	ND	ND	200	µg/g	0.0	< 20	Acceptable		
Ethylbenzene	ND	ND	200	µg/g	0.0	< 20	Acceptable		
m,p-Xylene	ND	ND	200	µg/g	0.0	< 20	Acceptable		
o-Xylene	ND	ND	200	µg/g	0.0	< 20	Acceptable		
Cumene	ND	ND	30	µg/g	0.0	< 20	Acceptable		

Abbreviations

ND - None Detected at or above MRL RPD - Relative Percent Difference LOQ - Limit of Quantitation

Units of Measure:

μg/g- Microgram per gram or ppm

Page 14 of 15

Page 14 of 15 www.columbialaboratories.com Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan
unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.





 Report Number:
 22-000811/D034.R000

 Report Date:
 02/02/2022

 ORELAP#:
 OR100028

 Purchase Order:
 210037

 Received:
 01/21/22 15:08

Explanation of QC Flag Comments:

Code	Explanation						
Q	Matrix interferences affecting spike or surrogate recoveries.						
Q1	Quality control result biased high. Only non-detect samples reported.						
Q2	Quality control outside QC limits. Data considered estimate.						
Q3	Sample concentration greater than four times the amount spiked.						
Q4	Non-homogenous sample matrix, affecting RPD result and/or % recoveries.						
Q5	Spike results above calibration curve.						
Q6	Quality control outside QC limits. Data acceptable based on remaining QC.						
R	Relative percent difference (RPD) outside control limit.						
R1	RPD non-calculable, as sample or duplicate results are less than five times the LOQ.						
R2	Sample replicates RPD non-calculable, as only one replicate is within the analytical range.						
LOQ1	Quantitation level raised due to low sample volume and/or dilution.						
LOQ2	Quantitaion level raised due to matrix interference.						
В	Analyte detected in method blank, but not in associated samples.						
B1	The sample concentration is greater than 5 times the blank concentration.						
B2	The sample concentration is less than 5 times the blank concentration.						

www.columbialaboratories.com

Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.