1 of 5

## Koi CBD Complete Natural 1000mg

Sample ID: 2107NIVA1152.3773

Strain: Koi CBD Complete Natural 1000mg Collected: 07/12/2021 Matrix: Ingestible Type: Tincture

Sample Size: ; Batch Size:

Produced: Received: 07/12/2021 Completed: 07/15/2021 Batch#: 1991BB0723

Client

Koi CBD Lic.#

14631 Best Ave Norwalk, CA 90650



**Pass** 

Foreign Matter

**Pass** 

**Heavy Metals** 

**Not Tested** 

Moisture

**Pass** 

Overall Status: Pass

Pesticides

Microbials

**Pass** 

**Pass** 

Solvents

**Pass** 0.54 aw Water Activity

**Pass** 

Mycotoxins

Cannabinoids (SOP.TS.4.100 HPLC Analysis)

0.518 mg/serving

0.518 mg/mL **Total THC** 

33.361 mg/serving 33.361 mg/mL

**Total CBD** 

37.955 mg/serving

37.955 mg/mL

**Total Cannabinoids** 

NT

Moisture

| Analyte   | LOD    | LOQ    | Mass   | Mass   | Mass       | Mass       |  |
|-----------|--------|--------|--------|--------|------------|------------|--|
|           | mg/g   | mg/g   | mg/mL  | %      | mg/serving | mg/package |  |
| CBD       | 0.0030 | 0.0100 | 33.361 | 3.51   | 33.36      | 1000.83    |  |
| CBG       | 0.0030 | 0.0100 | 1.551  | 0.16   | 1.55       | 46.53      |  |
| CBC       | 0.0030 | 0.0100 | 1.407  | 0.15   | 1.41       | 42.22      |  |
| CBN       | 0.0030 | 0.0100 | 0.733  | 0.08   | 0.73       | 22.00      |  |
| Δ9-ΤΗС    | 0.0030 | 0.0100 | 0.518  | 0.05   | 0.52       | 15.55      |  |
| CBDV      | 0.0030 | 0.0100 | 0.384  | 0.04   | 0.38       | 11.53      |  |
| CBDa      | 0.0030 | 0.0100 | ND     | ND     | ND         | ND         |  |
| CBGa      | 0.0030 | 0.0100 | ND     | ND     | ND         | ND         |  |
| THCa      | 0.0030 | 0.0100 | ND     | ND     | ND         | ND         |  |
| THCV      | 0.0030 | 0.0100 | ND     | ND     | ND         | ND         |  |
| Δ8-ΤΗС    | 0.0030 | 0.0100 | ND     | ND     | ND         | ND         |  |
| Total THC |        |        | 0.518  | 0.055  | 0.518      | 15.549     |  |
| Total CBD |        |        | 33.361 | 3.508  | 33.361     | 1000.832   |  |
| Total     |        |        | 37.955 | 3.9911 | 37.955     | 1138.661   |  |

Density: 0.951g per 1 mL

Cannabinoids Date Tested: 07/14/2021

Total THC = (THCa x 0.877) + Δ9-THC; Total CBD = (CBDa x 0.877) + CBD; LOD = Limit of Detection; LOQ = Limit of Quantitation; ND = Not Detected; NT = Not Tested; Cured plant material reported as moisture-corrected % dry weight, other sample types reported "as is." Unless otherwise stated, all quality control samples performed within specifications established by the Laboratory. Analytical Instrumentation: Agilent 1260 HPLC.

- ; Water Activity Date Tested: 07/13/2021
- : Moisture Date Tested:

Foreign Material Analytical Instrumentation: Illuminated Magnifying Lens. Foreign Material Analysis Date:; Foreign Matter Date Tested: 07/13/2021









Confident Cannabis All Rights Reserved support@confidentcannabis.com (866) 506-5866 www.confidentcannabis.com



Accreditation #101219 Lab Director 07/15/2021

Attest all LQC samples performed and met in accordance with 16 CCR sec. 5730. This product has been tested by Niva Labs using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Niva Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Niva Labs. Please contact The Niva Labs for information about measurement uncertainty. Please contact The Niva Labs for information about measurement uncertainty.

Overall Status: Pass

2 of 5

### Koi CBD Complete Natural 1000mg

Sample ID: 2107NIVA1152.3773 Produced: Strain: Koi CBD Complete Natural 1000mg Collected: 07/12/2021 Received: 07/12/2021 Matrix: Ingestible Completed: 07/15/2021

Type: Tincture Batch#: 1991BB0723 Sample Size: ; Batch Size:

Client Koi CBD Lic.#

14631 Best Ave Norwalk, CA 90650

| Microbials                    |                    | Pass   |
|-------------------------------|--------------------|--------|
| Analyte                       | Result             | Status |
| Aspergillus flavus            | NR                 | NT     |
| Aspergillus fumigatus         | NR                 | NT     |
| Aspergillus niger             | NR                 | NT     |
| Aspergillus terreus           | NR                 | NT     |
| Shiga toxin-producing E. Coli | Not Detected in 1g | Pass   |
| Salmonella SPP                | Not Detected in 1g | Pass   |

Date Tested: 07/14/2021

LOD = Limit of Detection; LOQ = Limit of Quantitation; ND = Not Detected; NT = Not Tested; Unless otherwise stated, all quality control samples performed within specifications established by the Laboratory. Analytical Instrumentation: PathogenDx (PCR)

Mycotoxins **Pass** 

| Analyte          | LOD   | LOQ   | Limit | Units | Status |
|------------------|-------|-------|-------|-------|--------|
|                  | μg/kg | µg/kg | μg/kg | μg/kg |        |
| B1               | 4.00  | 5.00  |       | ND    | Tested |
| B2               | 4.00  | 5.00  |       | ND    | Tested |
| G1               | 4.00  | 5.00  |       | ND    | Tested |
| G2               | 4.00  | 5.00  |       | ND    | Tested |
| Total Aflatoxins |       |       | 20    | ND    | Pass   |
| Ochratoxin A     | 16    | 20    | 20    | ND    | Pass   |

Date Tested: 07/13/2021 LOD = Limit of Detection; LOQ = Limit of Quantitation; ND = Not Detected; NT = Not Tested;

Unless otherwise stated, all quality control samples performed within specifications established by the Laboratory. Analytical Instrumentation: Agilent 6470A LC-MS

Heavy Metals **Pass** 

| Analyte | LOD   | LOQ   | Limit | Units | Status |
|---------|-------|-------|-------|-------|--------|
|         | μg/g  | μg/g  | µg/g  | μg/g  |        |
| Arsenic | 0.009 | 0.090 | 1.5   | ND    | Pass   |
| Cadmium | 0.009 | 0.090 | 0.5   | ND    | Pass   |
| Lead    | 0.009 | 0.090 | 0.5   | ND    | Pass   |
| Mercury | 0.005 | 0.020 | 3     | ND    | Pass   |

Date Tested: 07/13/2021

LOD = Limit of Detection; LOQ = Limit of Quantitation; ND = Not Detected; NT = Not Tested;

Unless otherwise stated, all quality control samples performed within specifications established by the Laboratory. Analytical Instrumentation: Agilent 7900 ICP-MS







Confident Cannabis All Rights Reserved support@confidentcannabis.com (866) 506-5866 www.confidentcannabis.com



Lab Director

Accreditation #101219 Lab Director 07/15/2021

Attest all LQC samples performed and met in accordance with 16 CCR sec. 5730. This product has been tested by Niva Labs using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Niva Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Niva Labs. Please contact The Niva Labs for information about measurement uncertainty. Please contact The Niva Labs for information about measurement uncertainty.

(213) 225-6482 thenivalabs.com/ Lic# C8-0000024-LIC

## Koi CBD Complete Natural 1000mg

**Overall Status: Pass** 

3 of 5

Sample ID: 2107NIVA1152.3773

Strain: Koi CBD Complete Natural 1000mg Collected: 07/12/2021 Matrix: Ingestible

Type: Tincture Sample Size: ; Batch Size: Produced: Received: 07/12/2021 Completed: 07/15/2021

Koi CBD Lic.# Batch#: 1991BB0723

14631 Best Ave Norwalk, CA 90650

**Pesticides Pass** 

Client

| Analyte             | LOD   | LOQ   | Limit | Mass | Status | Analyte                 | LOD   | LOQ   | Limit | Mass | Status |
|---------------------|-------|-------|-------|------|--------|-------------------------|-------|-------|-------|------|--------|
|                     | µg/g  | µg/g  | µg/g  | μg/g |        |                         | µg/g  | µg/g  | µg/g  | μg/g |        |
| Abamectin           | 0.040 | 0.050 | 0.3   | ND   | Pass   | Fludioxonil             | 0.040 | 0.050 | 30    | ND   | Pass   |
| Acephate            | 0.050 | 0.100 | 5     | ND   | Pass   | Hexythiazox             | 0.010 | 0.020 | 2     | ND   | Pass   |
| Acequinocyl         | 0.040 | 0.050 | 4     | ND   | Pass   | lmazalil                | 0.040 | 0.050 | 0.04  | ND   | Pass   |
| Acetamiprid         | 0.010 | 0.020 | 5     | ND   | Pass   | Imidacloprid            | 0.010 | 0.020 | 3     | ND   | Pass   |
| Aldicarb            | 0.010 | 0.020 | 0.01  | ND   | Pass   | Kresoxim Methyl         | 0.020 | 0.050 | 1     | ND   | Pass   |
| Azoxystrobin        | 0.010 | 0.020 | 40    | ND   | Pass   | Malathion               | 0.010 | 0.020 | 5     | ND   | Pass   |
| Bifenazate          | 0.010 | 0.020 | 5     | ND   | Pass   | Metalaxyl               | 0.010 | 0.020 | 15    | ND   | Pass   |
| Bifenthrin          | 0.010 | 0.020 | 0.5   | ND   | Pass   | Methiocarb              | 0.010 | 0.020 | 0.01  | ND   | Pass   |
| Boscalid            | 0.040 | 0.050 | 10    | ND   | Pass   | Methomyl                | 0.010 | 0.020 | 0.1   | ND   | Pass   |
| Captan              | 0.100 | 0.100 | 5     | ND   | Pass   | Mevinphos               | 0.018 | 0.045 | 0.018 | ND   | Pass   |
| Carbaryl            | 0.020 | 0.050 | 0.5   | ND   | Pass   | Myclobutanil            | 0.040 | 0.050 | 9     | ND   | Pass   |
| Carbofuran          | 0.010 | 0.020 | 0.01  | ND   | Pass   | Naled                   | 0.040 | 0.050 | 0.5   | ND   | Pass   |
| Chlorantraniliprole | 0.040 | 0.050 | 40    | ND   | Pass   | Oxamyl                  | 0.010 | 0.020 | 0.2   | ND   | Pass   |
| Chlordane           | 0.030 | 0.050 | 0.03  | ND   | Pass   | Paclobutrazol           | 0.040 | 0.050 | 0.04  | ND   | Pass   |
| Chlorfenapyr        | 0.030 | 0.050 | 0.03  | ND   | Pass   | Parathion Methyl        | 0.030 | 0.050 | 0.03  | ND   | Pass   |
| Chlorpyrifos        | 0.020 | 0.050 | 0.020 | ND   | Pass   | Pentachloronitrobenzene | 0.030 | 0.050 | 0.2   | ND   | Pass   |
| Clofentezine        | 0.010 | 0.020 | 0.5   | ND   | Pass   | Permethrin              | 0.020 | 0.050 | 20    | ND   | Pass   |
| Coumaphos           | 0.050 | 0.100 | 0.05  | ND   | Pass   | Phosmet                 | 0.010 | 0.020 | 0.2   | ND   | Pass   |
| Cyfluthrin          | 0.050 | 0.100 | 1     | ND   | Pass   | Piperonyl Butoxide      | 0.010 | 0.020 | 8     | ND   | Pass   |
| Cypermethrin        | 0.050 | 0.100 | 1     | ND   | Pass   | Prallethrin             | 0.040 | 0.050 | 0.4   | ND   | Pass   |
| Daminozide          | 0.040 | 0.050 | 0.04  | ND   | Pass   | Propiconazole           | 0.040 | 0.050 | 20    | ND   | Pass   |
| Diazinon            | 0.010 | 0.020 | 0.2   | ND   | Pass   | Propoxur                | 0.010 | 0.020 | 0.01  | ND   | Pass   |
| Dichlorvos          | 0.050 | 0.100 | 0.05  | ND   | Pass   | Pyrethrins              | 0.042 | 0.084 | 1     | ND   | Pass   |
| Dimethoate          | 0.010 | 0.020 | 0.01  | ND   | Pass   | Pyridaben               | 0.030 | 0.050 | 3     | ND   | Pass   |
| Dimethomorph        | 0.020 | 0.050 | 20    | ND   | Pass   | Spinetoram              | 0.041 | 0.061 | 3     | ND   | Pass   |
| Ethoprophos         | 0.010 | 0.020 | 0.01  | ND   | Pass   | Spinosad                | 0.019 | 0.048 | 3     | ND   | Pass   |
| Etofenprox          | 0.010 | 0.020 | 0.01  | ND   | Pass   | Spiromesifen            | 0.010 | 0.020 | 12    | ND   | Pass   |
| Etoxazole           | 0.010 | 0.020 | 1.5   | ND   | Pass   | Spirotetramat           | 0.020 | 0.050 | 13    | ND   | Pass   |
| Fenhexamid          | 0.040 | 0.050 | 10    | ND   | Pass   | Spiroxamine             | 0.010 | 0.020 | 0.01  | ND   | Pass   |
| Fenoxycarb          | 0.010 | 0.020 | 0.01  | ND   | Pass   | Tebuconazole            | 0.050 | 0.100 | 2     | ND   | Pass   |
| Fenpyroximate       | 0.010 | 0.020 | 2     | ND   | Pass   | Thiacloprid             | 0.010 | 0.020 | 0.01  | ND   | Pass   |
| Fipronil            | 0.040 | 0.050 | 0.04  | ND   | Pass   | Thiamethoxam            | 0.010 | 0.020 | 4.5   | ND   | Pass   |
| Flonicamid          | 0.010 | 0.020 | 2     | ND   | Pass   | Trifloxystrobin         | 0.010 | 0.020 | 30    | ND   | Pass   |

Date Tested: 07/13/2021 LOD = Limit of Detection; LOQ = Limit of Quantitation; ND = Not Detected; NT = Not Tested; Unless otherwise stated, all quality control samples performed within specifications established by the Laboratory. Analytical Instrumentation: Agilent 6470A LC-MS; Agilent 7010B GC-MS







Confident Cannabis All Rights Reserved support@confidentcannabis.com (866) 506-5866



www.confidentcannabis.com

(213) 225-6482 thenivalabs.com/ Lic# C8-0000024-LIC

Overall Status: Pass

4 of 5

## Koi CBD Complete Natural 1000mg

Sample ID: 2107NIVA1152.3773 Strain: Koi CBD Complete Natural 1000mg Collected: 07/12/2021 Matrix: Ingestible

Type: Tincture Sample Size: ; Batch Size: Produced: Received: 07/12/2021 Completed: 07/15/2021 Batch#: 1991BB0723

Client Koi CBD Lic.#

14631 Best Ave Norwalk, CA 90650

#### **Residual Solvents**

| Analyte            | LOD  | LOQ  | Limit | Mass | Status |
|--------------------|------|------|-------|------|--------|
|                    | µg/g | µg/g | µg/g  | μg/g | Pass   |
| 1,2-Dichloroethane | 0.25 | 0.50 | 1.0   | ND   | Pass   |
| Acetone            | 5.0  | 10   | 5000  | ND   | Pass   |
| Acetonitrile       | 5.0  | 10   | 410   | ND   | Pass   |
| Benzene            | 0.25 | 0.50 | 1.0   | ND   | Pass   |
| Butane             | 5.0  | 10   | 5000  | ND   | Pass   |
| Chloroform         | 0.25 | 0.50 | 1.0   | ND   | Pass   |
| Ethanol            | 5.0  | 10   | 5000  | ND   | Pass   |
| Ethyl-Acetate      | 5.0  | 10   | 5000  | ND   | Pass   |
| Ethyl-Ether        | 5.0  | 10   | 5000  | ND   | Pass   |
| Ethylene Oxide     | 0.50 | 1.0  | 1.0   | ND   | Pass   |
| Heptane            | 5.0  | 10   | 5000  | ND   | Pass   |
| Isopropanol        | 5.0  | 10   | 5000  | ND   | Pass   |
| Methanol           | 5.0  | 10   | 3000  | ND   | Pass   |
| Methylene Chloride | 0.25 | 0.50 | 1.0   | ND   | Pass   |
| n-Hexane           | 5.0  | 10   | 290   | ND   | Pass   |
| Pentane            | 5.0  | 10   | 5000  | ND   | Pass   |
| Propane            | 5.0  | 10   | 5000  | ND   | Pass   |
| Toluene            | 5.0  | 10   | 890   | ND   | Pass   |
| Trichloroethene    | 0.25 | 0.50 | 1.0   | ND   | Pass   |
| Xylenes            | 5.0  | 10   | 2170  | ND   | Pass   |



Date Tested: 07/12/2021 LOD = Limit of Detection; LOQ = Limit of Quantitation; ND = Not Detected; NT = Not Tested; Unless otherwise stated, all quality control samples performed within specifications established by the Laboratory. Analytical Instrumentation: Agilent 5977B GC-MS-FID







Confident Cannabis All Rights Reserved support@confidentcannabis.com (866) 506-5866 www.confidentcannabis.com



Accreditation #101219 Lab Director 07/15/2021

Attest all LQC samples performed and met in accordance with 16 CCR sec. 5730. This product has been tested by Niva Labs using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Niva Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Niva Labs. Please contact The Niva Labs for information about measurement uncertainty. Please contact The Niva Labs for information about measurement uncertainty

**Overall Status: Pass** 

5 of 5

# Koi CBD Complete Natural 1000mg

Sample ID: 2107NIVA1152.3773 Strain: Koi CBD Complete Natural 1000mg Collected: 07/12/2021 Matrix: Ingestible

Type: Tincture Sample Size: ; Batch Size: Produced: Received: 07/12/2021 Completed: 07/15/2021 Batch#: 1991BB0723

Client Koi CBD Lic.#

14631 Best Ave Norwalk, CA 90650

### **Terpenes**

| Analyte             | LOD   | LOQ   | Mass   | Mass                         |  |
|---------------------|-------|-------|--|------------------------------|--|
|                     | mg/mL | mg/mL | mg/mL  | mg/g                         |  |
| β-Myrcene           | 0.03  | 0.10  | 1.28   | 1.35                         |  |
| β-Caryophyllene     | 0.03  | 0.10  | 1.09   | 1.15                         |  |
| β-Pinene            | 0.03  | 0.10  | 0.38   | 0.40                         |  |
| α-Pinene            | 0.03  | 0.10  | 0.32   | 0.34                         |  |
| Terpinolene         | 0.03  | 0.10  | 0.32   | 0.34                         |  |
| Ocimene             | 0.03  | 0.10  | 0.31   | 0.33                         |  |
| δ-Limonene          | 0.03  | 0.10  | 0.22   | 0.23                         |  |
| α-Bisabolol         | 0.03  | 0.10  | <loq< th=""><th><loq< th=""><th></th></loq<></th></loq<> | <loq< th=""><th></th></loq<> |  |
| α-Humulene          | 0.03  | 0.10  | <loq< th=""><th><loq< th=""><th></th></loq<></th></loq<> | <loq< th=""><th></th></loq<> |  |
| α-Terpinene         | 0.03  | 0.10  | ND   | ND                           |  |
| Camphene            | 0.03  | 0.10  | ND   | ND                           |  |
| Caryophyllene Oxide | 0.03  | 0.10  | ND   | ND                           |  |
| cis-Nerolidol       | 0.03  | 0.10  | ND   | ND                           |  |
| δ-3-Carene          | 0.03  | 0.10  | ND   | ND                           |  |
| Eucalyptol          | 0.03  | 0.10  | ND   | ND                           |  |
| y-Terpinene         | 0.03  | 0.10  | ND   | ND                           |  |
| Guaiol              | 0.03  | 0.10  | ND   | ND                           |  |
| Isopulegol          | 0.03  | 0.10  | ND   | ND                           |  |
| Linalool            | 0.03  | 0.10  | ND   | ND                           |  |
| p-Cymene            | 0.03  | 0.10  | ND   | ND                           |  |
| trans-Nerolidol     | 0.03  | 0.10  | ND   | ND                           |  |
| Total               |       |       | 3.94   | 4.14                         |  |

# **Primary Aromas**













Date Tested: 07/13/2021

LOD = Limit of Detection; LOQ = Limit of Quantitation; ND = Not Detected; NT = Not Tested; Unless otherwise stated, all quality control samples performed within specications established by the Laboratory. Analytical Instrumentation: Agilent 5977B HS-GC-MS; SOP.TS.4.200" This terpenes method has not yet been evaluated for ISO/IEC 17025 accreditation.







Noah Kaplan Lab Director

Confident Cannabis All Rights Reserved support@confidentcannabis.com (866) 506-5866 www.confidentcannabis.com



Accreditation #101219 Lab Director 07/15/2021

Attest all LQC samples performed and met in accordance with 16 CCR sec. 5730. This product has been tested by Niva Labs using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Niva Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Niva Labs. Please contact The Niva Labs for information about measurement uncertainty. Please contact The Niva Labs for information about measurement uncertainty