



Canopy Growth USA
35715 US HWY 40, Ste D102,
Evergreen, CO 80439
www.canopygrowth.com

Product Description & Batch Information

July 2nd, 2021

Note: This page is not Certificate of Analysis (CoA). The CoA documents follow this page.


Description

Facts

Product Description

Intermission 2 Pack Blue Starter Kit

Product Image



Vape Oil Batch Number (CoA)

000000965

Best Before Date

MAY/2023


Packaging Batch Number

0000001553



Vape Oil- Intermission, Batch 0000000965, 02/12/2021

| | | | |
|------------------|-------------|-------------------|-----------------------|
| Batch ID: | 0000000965 | Test ID: | T000124451 |
| Type: | Concentrate | Submitted: | 02/15/2021 @ 08:26 AM |
| Test: | Potency | Started: | 2/15/2021 |
| Method: | TM14 | Reported: | 2/16/2021 |

CANNABINOID PROFILE


| Compound | LOQ (%) | Result (%) | Result (mg/g) |
|--|---------|--------------|---------------|
| Delta 9-Tetrahydrocannabinolic acid (THCA-A) | 0.05 | ND | ND |
| Delta 9-Tetrahydrocannabinol (Delta 9THC) | 0.05 | ND | ND |
| Cannabidiolic acid (CBDA) | 0.07 | ND | ND |
| Cannabidiol (CBD) | 0.06 | 41.77 | 417.7 |
| Delta 8-Tetrahydrocannabinol (Delta 8THC) | 0.06 | ND | ND |
| Cannabinolic Acid (CBNA) | 0.03 | ND | ND |
| Cannabinol (CBN) | 0.02 | ND | ND |
| Cannabigerolic acid (CBGA) | 0.05 | ND | ND |
| Cannabigerol (CBG) | 0.01 | ND | ND |
| Tetrahydrocannabivarinic Acid (THCVA) | 0.04 | ND | ND |
| Tetrahydrocannabivarin (THCV) | 0.01 | ND | ND |
| Cannabidivarinic Acid (CBDVA) | 0.03 | ND | ND |
| Cannabidivarin (CBDV) | 0.02 | 0.08 | 0.8 |
| Cannabichromenic Acid (CBCA) | 0.02 | ND | ND |
| Cannabichromene (CBC) | 0.02 | ND | ND |
| Total Cannabinoids | | 41.85 | 418.5 |
| Total Potential THC** | | ND | ND |
| Total Potential CBD** | | 41.77 | 417.7 |

NOTES:

N/A

% = % (w/w) = Percent (Weight of Analyte / Weight of Product)

* Total Cannabinoids result reflects the absolute sum of all cannabinoids detected.

** Total Potential THC/CBD is calculated using the following formulas to take into account the loss of a carboxyl group during decarboxylation step.

$$\text{Total THC} = \text{THC} + (\text{THCa} * (0.877)) \text{ and}$$

$$\text{Total CBD} = \text{CBD} + (\text{CBDa} * (0.877))$$

ND = None Detected (Defined by Dynamic Range of the method)

FINAL APPROVAL

| | |
|--|---|
|  Daniel Weidensaul 16-Feb-2021 10:39 AM |  Ben Minton 16-Feb-2021 2:18 PM |
|--|---|

PREPARED BY / DATE

APPROVED BY / DATE

Testing results are based solely upon the sample submitted to Botanacor Laboratories, LLC, in the condition it was received. Botanacor Laboratories, LLC warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of Botanacor Laboratories, LLC. ISO/IEC 17025:2005 Accredited A2LA Certificate Number 4329.02



Certificate #4329.02

965-VO-IM-0211

| | | | |
|------------------|--------------------------------------|-------------------|-----------------------|
| Batch ID: | rework + Filtered + rewashed isolate | Test ID: | T000128089 |
| Type: | Concentrate | Submitted: | 03/08/2021 @ 01:12 PM |
| Test: | Pesticides | Started: | 3/9/2021 |
| Method: | TM17 | Reported: | 3/10/2021 |

PESTICIDE RESIDUE

| Compound | Dynamic Range (ppb) | Result (ppb) | Compound | Dynamic Range (ppb) | Result (ppb) |
|---------------------|---------------------|--------------|-----------------|---------------------|--------------|
| Acephate | 45 - 2690 | ND* | Malathion | 312 - 2690 | ND* |
| Acetamiprid | 48 - 2690 | ND* | Metalaxyl | 42 - 2690 | ND* |
| Abamectin | >239 | ND* | Methiocarb | 47 - 2690 | ND* |
| Azoxystrobin | 45 - 2690 | ND* | Methomyl | 45 - 2690 | ND* |
| Bifenazate | 46 - 2690 | ND* | MGK 264 1 | 174 - 2690 | ND* |
| Boscalid | 45 - 2690 | ND* | MGK 264 2 | 125 - 2690 | ND* |
| Carbaryl | 43 - 2690 | ND* | Myclobutanil | 50 - 2690 | ND* |
| Carbofuran | 47 - 2690 | ND* | Naled | 52 - 2690 | ND* |
| Chlorantraniliprole | 44 - 2690 | ND* | Oxamyl | 46 - 2690 | ND* |
| Chlorpyrifos | 39 - 2690 | ND* | Paclobutrazol | 49 - 2690 | ND* |
| Clofentezine | 311 - 2690 | ND* | Permethrin | 302 - 2690 | ND* |
| Diazinon | 300 - 2690 | ND* | Phosmet | 45 - 2690 | ND* |
| Dichlorvos | >294 | ND* | Prophos | 312 - 2690 | ND* |
| Dimethoate | 48 - 2690 | ND* | Propoxur | 45 - 2690 | ND* |
| E-Fenpyroximate | 314 - 2690 | ND* | Pyridaben | 288 - 2690 | ND* |
| Etofenprox | 41 - 2690 | ND* | Spinosad A | 33 - 2690 | ND* |
| Etoxazole | 291 - 2690 | ND* | Spinosad D | 79 - 2690 | ND* |
| Fenoxycarb | >47 | ND* | Spiromesifen | >272 | ND* |
| Fipronil | 57 - 2690 | ND* | Spirotetramat | >296 | ND* |
| Flonicamid | 56 - 2690 | ND* | Spiroxamine 1 | 18 - 2690 | ND* |
| Fludioxonil | >340 | ND* | Spiroxamine 2 | 24 - 2690 | ND* |
| Hexythiazox | 36 - 2690 | ND* | Tebuconazole | 319 - 2690 | ND* |
| Imazalil | 302 - 2690 | ND* | Thiacloprid | 48 - 2690 | ND* |
| Imidacloprid | 49 - 2690 | ND* | Thiamethoxam | 45 - 2690 | ND* |
| Kresoxim-methyl | 48 - 2690 | ND* | Trifloxystrobin | 45 - 2690 | ND* |

* ND = None Detected (Defined by Dynamic Range of the method)

N/A

FINAL APPROVAL

 Tyler Wiese
 10-Mar-2021
 3:12 PM

PREPARED BY / DATE


 Ben Minton
 10-Mar-2021
 3:49 PM

APPROVED BY / DATE

Testing results are based solely upon the sample submitted to Botanacor Laboratories, LLC, in the condition it was received. Botanacor Laboratories, LLC warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of Botanacor Laboratories, LLC.

965-VO-IM-0211

| | | | |
|------------------|--------------------------------------|-------------------|-----------------------|
| Batch ID: | rework + Filtered + rewashed isolate | Test ID: | T000128090 |
| Type: | Unit | Submitted: | 03/08/2021 @ 01:12 PM |
| Test: | Metals | Started: | 3/11/2021 |
| Method: | TM19 | Reported: | 3/12/2021 |

HEAVY METALS

| Analyte | Dynamic Range (ppm) | Result (ppm) |
|---------|---------------------|--------------|
| Arsenic | 0.073 - 7.31 | ND |
| Cadmium | 0.070 - 6.96 | ND |
| Mercury | 0.072 - 7.19 | ND |
| Lead | 0.078 - 7.76 | ND |

* ND = None Detected (Defined by Dynamic Range of the method)

FINAL APPROVAL


Daniel Weidensaul
12-Mar-2021
3:04 PM

PREPARED BY / DATE


Ben Minton
12-Mar-2021
3:42 PM

APPROVED BY / DATE

Testing results are based solely upon the sample submitted to Botanacor Laboratories, LLC, in the condition it was received. Botanacor Laboratories, LLC warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of Botanacor Laboratories, LLC.



Micro Quality Labs, Inc.

Specializing in Pharmaceutical, Dietary Supplements, Toys and Cosmetics Testing

3125 N. Damon Way • Burbank, California 91505

(818) 845-0070 • Fax: (818) 845-0030

E-Mail: Karine@MicroQualityLabs.com

Customer: Canopy Growth, USA LLC
Address: 35715 US HWY 40, Suite D-102
 Evergreen, CO 80439

ANALYTICAL/CHEMICAL CERTIFICATE OF ANALYSIS

Sample Name: 965-VO-IM-0211
Product Code: 965
Batch/Lot: 0211
MQL Accession: 210308-0274

PO#: 8000000195
Sample Description: FG; 5ML
Rush: N/A
Received Date: 03/08/21
Page: 1/3

| Test Requested: | Test Method Number: | Client Specification: | Results: |
|--------------------------|---|--------------------------------|-------------------|
| Residual Solvents | MLTQM-0243 (<467> USP 42 Modified) By GC-FID | Meets USP Limits if less than: | |
| Class I: | | | Class I: |
| 1,1 Dichloroethene | | 8 ppm | Not Detected |
| 1,1,1 Trichloroethane | | 1500 ppm | Not Detected |
| Carbon Tetrachloride | | 4 ppm | Not Detected |
| Benzene | | 2 ppm | Not Detected |
| 1,2-Dichloroethane | | 5 ppm | Not Detected |
| Class IIA: | | | Class IIA: |
| Methanol | | 3000 ppm | Not Detected |
| Acetonitrile | | 410 ppm | Not Detected |
| Dichloromethane | | 600 ppm | Not Detected |
| Trans-1,2-dichloroethene | | 1870 ppm | Not Detected |
| Cis-1,2-dichloroethene | | 900 ppm | Not Detected |
| Tetrahydrofuran | | 720 ppm | Not Detected |
| Cyclohexane | | 3880 ppm | Not Detected |
| Methylcyclohexane | | 1180 ppm | Not Detected |
| 1,4-dioxane | | 380 ppm | Not Detected |
| Toluene | | 890 ppm | Not Detected |
| Chlorobenzene | | 360 ppm | Not Detected |
| m,p-Xylene | | 1605.8 ppm | Not Detected |
| Ethylbenzene | | 368.9 ppm | Not Detected |
| o-Xylene | | 195.3 ppm | Not Detected |
| Cumene | | 70 ppm | Not Detected |
| Class IIB: | | | Class IIB: |
| Hexane | | 290 ppm | meets usp limit |
| 1,2 Dimethoxyethane | | 100 ppm | Not Detected |
| trichloroethylene | | 80 ppm | Not Detected |
| Chloroform | | 60 ppm | Not Detected |
| 2-Hexanone | | 50 ppm | Not Detected |
| Nitromethane | | 50 ppm | Not Detected |
| Tetralin | | 200 ppm | Not Detected |
| Pyridine | | 100 ppm | Not Detected |
| Class III: | | | Class III: |
| N-Pentane | | 5000 ppm | Not Detected |
| Ethanol | | 5000 ppm | Not Detected |
| Diethyl Ether | | 5000 ppm | Not Detected |



Micro Quality Labs, Inc.

Specializing in Pharmaceutical, Dietary Supplements, Toys and Cosmetics Testing

3125 N. Damon Way • Burbank, California 91505

(818) 845-0070 • Fax: (818) 845-0030

E-Mail: Karine@MicroQualityLabs.com

Customer: Canopy Growth, USA LLC
Address: 35715 US HWY 40, Suite D-102
 Evergreen, CO 80439

ANALYTICAL/CHEMICAL CERTIFICATE OF ANALYSIS

Sample Name: **965-VO-IM-0211**

Product Code: 965

Batch/Lot: 0211

MQL Accession: 210308-0274

PO#: 8000000195

Sample Description: FG; 5ML

Rush: N/A

Received Date: 03/08/21

Page: 2/3

| Test Requested: | Test Method: | Specification: | Results: |
|--|---|--|--|
| Residual Solvents Class III (cont): Acetone IPA Ethyl Formate Methyl Acetate Methyl t-Butyl Ether n-Propanol 2-Butanol Ethyl Acetate 2-Butanone Isobutanol Isopropyl Acetate n-Heptane 1-Butanol Propyl Acetate 4-Methyl 2-Pentanone 3-Methyl 1-Butanol Isobutyl Acetate 1-Pentanol Butyl Acetate N,N-Dimethyl Formamide Anisole | MLTMM-0243 (<467> USP 42 Modified) By GC-FID | Meets USP Limits if less than: 5000 ppm 5000 ppm | Class III: Not Detected Not Detected |



Micro Quality Labs, Inc.

Specializing in Pharmaceutical, Dietary Supplements, Toys and Cosmetics Testing

3125 N. Damon Way • Burbank, California 91505

(818) 845-0070 • Fax: (818) 845-0030

E-Mail: Karine@MicroQualityLabs.com

Customer: Canopy Growth, USA LLC
Address: 35715 US HWY 40, Suite D-102
Evergreen, CO 80439


ANALYTICAL/CHEMICAL CERTIFICATE OF ANALYSIS

Sample Name: 965-VO-IM-0211
Product Code: 965
Batch/Lot: 0211
MQL Accession: 210308-0274

PO#: 8000000195
Sample Description: FG; 5ML
Rush: N/A
Received Date: 03/08/21
Page: 3/3

| Test Requested: | Test Method: | Specification: | Results: |
|--------------------|-----------------------|----------------|-----------------|
| Aflatoxin B1B2G1G2 | MQLTM-1129 By LCMS | N/A | ND (NMT 20 ppb) |

Prepared By:


Diana Zavala/Document Control Specialist

MAR 18 2021
03/18/21

Reviewed By:


Raffi Avakian/Quality Assurance Reviewer

MAR 18 2021

03/18/21

The aforementioned results on this report are representative of the samples submitted and may not be indicative of the entire manufacture, batch, and/or lot. Applicable current GMP's shall always be used when sampling. GLP's shall always be practiced by Micro Quality Labs to ensure the most accurate results.

This report is submitted for the exclusive use of the person, partnership, or corporation to whom it is addressed, and neither the report nor the name of Micro Quality Labs, Inc. nor any member of its staff, may be used in connection with the advertising or sale of any product or process without written authorization from Micro Quality Labs, Inc. Failure to comply will result in immediate legal action by Micro Quality Labs, Inc.



Micro Quality Labs, Inc.

Specializing in Pharmaceutical, Dietary Supplements, Toys and Cosmetics Testing
3125 N. Damon Way • Burbank, California 91505
(818) 845-0070 • Fax: (818) 845-0030
E-Mail: Karine@MicroQualityLabs.com




Customer: Canopy Growth, USA LLC
Address: 35715 US HWY 40, Suite D-102
Evergreen, CO 80439

ANALYTICAL/CHEMICAL CERTIFICATE OF ANALYSIS

Sample Name: INTERM-965-21121
Product Code: 965
Batch/Lot: 21121
MQL Accession: 210409-0122

PO#: 8000000231
Sample Description: FG; 20 G
Rush: 24HR
Received Date: 04/09/21
Page: 2/2

| Test Requested: | Test Method: | Specification: | Results: |
|-------------------|-----------------------|----------------|--------------|
| Vitamin E Acetate | MQLTM-0100 By HPLC | N/A | Not Detected |

Prepared By:


Diana Zavala/Document Control Specialist

APR 29 2021

04/29/21

Reviewed By:


Esme Arellano/QA Reviewer

APR 29 2021

04/29/21

Comment: (*) This result is not covered under our A2LA accreditation. The test has been carried out following general compendial methods (USP/NF, EP, JP and AOAC).
Micro Quality Laboratories, Inc. (MQL), is an A2LA ISO 17025 accredited testing laboratory (Certificate Number 3034.01). The requirements of ISO 17025 were followed for the test, results and preparation of this certificate of analysis.
MQL's scope of accreditation may be found on A2LA or MQL websites.

The aforementioned results on this report are representative of the samples submitted and may not be indicative of the entire manufacture, batch, and/or lot. Applicable current GMP's shall always be used when sampling. GLP's shall always be practiced by Micro Quality Labs to ensure the most accurate results.

This report is submitted for the exclusive use of the person, partnership, or corporation to whom it is addressed, and neither the report nor the name of Micro Quality Labs, Inc. nor any member of its staff, may be used in connection with the advertising or sale of any product or process without written authorization from Micro Quality Labs, Inc. Failure to comply will result in immediate legal action by Micro Quality Labs, Inc.



Micro Quality Labs, Inc.

Specializing in Pharmaceutical, Dietary Supplements, Toys and Cosmetic Testing
3125 N. Damon Way • Burbank, California 91505
(818) 845-0070 • Fax: (818) 845-0030
E-Mail: Karine@MicroQualityLabs.com



Customer: Canopy Growth, USA LLC
Address: 35715 US HWY 40, Suite D-102
Evergreen, CO 80439

| | |
|----------------|---------------|
| Received From: | Evergreen, CO |
| Received Date: | 03/08/21 |
| Release Date: | 03/12/21 |
| PO # | 8000000195 |

MICROBIOLOGICAL CERTIFICATE OF ANALYSIS

Sample Name: 965-V0-1M-0211
Product Code: 965
Batch/Lot #: 965
MQL Accession #: 1076660

Description: FG

| Analyte: | Result: | Method: | Test Date: | Comment: |
|---------------------|-----------|----------------------------|------------|----------|
| TPC | <10cfu/gm | TM-01 (Modified USP61) | 03/08/21 | N/A |
| Yeast/Mold | <10cfu/gm | TM-01 (Modified USP61) | 03/08/21 | N/A |
| Coliforms | <10cfu/gm | TM-01A (Modified USP62) | 03/08/21 | N/A |
| E.coli | Absent | TM-01A (Modified USP62) | 03/08/21 | N/A |
| Pseudomonas spp. | Absent | TM-01A (Modified USP62) | 03/08/21 | N/A |
| S.aureus | Absent | TM-01A (Modified USP62) | 03/08/21 | N/A |
| Salmonella/Shigella | Absent | TM-01A (Modified USP62) | 03/08/21 | N/A |

All Products were tested in accordance with the USP Standard for Total Plate Count and Enrichment. Additional guidance was referenced by CTFA Microbiological Guidelines.

MAR 12 2021

Prepared By: Erika Zavas/ Document Control Specialist

Reviewed By: Ani Zohrabyan/Microbiologist

Date:

Micro Quality Laboratories, Inc. (MQL), is an A2LA ISO 17025 accredited testing laboratory (Certificate Number 3034.01). The requirements of ISO 17025 were followed for the test, results and preparation of this certificate of analysis. MQL's scope of accreditation may be found on A2LA or MQL websites.

The aforementioned results on this report are representative of the samples submitted and may not be indicative of the entire manufacture, batch, and/or lot. Applicable current GMP's shall always be used when sampling. GLP's shall always be practiced by Micro Quality Labs to ensure the most accurate results.

This report is submitted for the exclusive use of the person, partnership, or corporation to whom it is addressed, and neither the report nor the name of Micro Quality Labs, Inc. nor any member of its staff, may be used in connection with the advertising or sale of any product or process without written authorization from Micro Quality Labs, Inc. Failure to comply will result in immediate legal action by Micro Quality Labs, Inc.