


C117S

| | | | |
|------------------|---------|-------------------|-----------------------|
| Batch ID: | 120 | Test ID: | T000138278 |
| Type: | Unit | Submitted: | 05/03/2021 @ 09:41 AM |
| Test: | Potency | Started: | 5/3/2021 |
| Method: | TM14 | Reported: | 5/3/2021 |

CANNABINOID PROFILE



CBD 0.12%

CBDa 0.00%

delta 9 THC 0.00%

THCa 0.00%

| Compound | LOQ (mg) | Result (mg) | Result (mg/g) |
|--|----------|--------------|---------------|
| Delta 9-Tetrahydrocannabinolic acid (THCA-A) | 0.14 | ND | ND |
| Delta 9-Tetrahydrocannabinol (Delta 9THC) | 0.15 | ND | ND |
| Cannabidiolic acid (CBDA) | 0.15 | ND | ND |
| Cannabidiol (CBD) | 0.15 | 0.85 | 1.2 |
| Delta 8-Tetrahydrocannabinol (Delta 8THC) | 0.17 | 0.67 | 0.9 |
| Cannabinolic Acid (CBNA) | 0.10 | ND | ND |
| Cannabinol (CBN) | 0.04 | 0.76 | 1.1 |
| Cannabigerolic acid (CBGA) | 0.14 | ND | ND |
| Cannabigerol (CBG) | 0.03 | 0.75 | 1.0 |
| Tetrahydrocannabivarinic Acid (THCVA) | 0.12 | ND | ND |
| Tetrahydrocannabivarin (THCV) | 0.03 | ND | ND |
| Cannabidivarinic Acid (CBDVA) | 0.06 | ND | ND |
| Cannabidivarin (CBDV) | 0.04 | ND | ND |
| Cannabichromenic Acid (CBCA) | 0.05 | ND | ND |
| Cannabichromene (CBC) | 0.06 | 14.23 | 19.9 |
| Total Cannabinoids | | 17.26 | 24.1 |
| Total Potential THC** | | ND | ND |
| Total Potential CBD** | | 0.85 | 1.2 |

% = % (w/w) = Percent (Weight of Analyte / Weight of Product)

* Total Cannabinoids result reflects the absolute sum of all cannabinoids detected.

** Total Potential THC/CBD is calculated using the following formulas to take into account the loss of a carboxyl group during decarboxylation step.

Total THC = THC + (THCa *(0.877)) and



Total CBD = CBD + (CBDa *(0.877))

ND = None Detected (Defined by Dynamic Range of the method)

NOTES:

of Servings = 1, Sample Weight=0.71525g

FINAL APPROVAL

| | | | |
|---|---|---|-------------------------------------|
|  | Michele Gagnon 3-May-2021 2:09 PM |  | Rvan Weems 3-May-2021 2:14 PM |
| PREPARED BY / DATE | | APPROVED BY / DATE | |

Testing results are based solely upon the sample submitted to Botanacor Laboratories, LLC, in the condition it was received. Botanacor Laboratories, LLC warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of Botanacor Laboratories, LLC. ISO/IEC 17025:2005 Accredited A2LA Certificate Number 4329.02



Certificate #4329.02

C117S


| | | | |
|------------------|--------|-------------------|-----------------------|
| Batch ID: | N/A | Test ID: | T000137340 |
| Type: | Unit | Submitted: | 04/26/2021 @ 10:10 AM |
| Test: | Metals | Started: | 4/27/2021 |
| Method: | TM19 | Reported: | 4/28/2021 |

HEAVY METALS

| Analyte | Dynamic Range (ppm) | Result (ppm) |
|---------|---------------------|--------------|
| Arsenic | 0.045 - 4.54 | ND |
| Cadmium | 0.047 - 4.74 | ND |
| Mercury | 0.047 - 4.73 | ND |
| Lead | 0.047 - 4.73 | ND |

* ND = None Detected (Defined by Dynamic Range of the method)

FINAL APPROVAL

 Ryan Weems
28-Apr-2021
4:06 PM

PREPARED BY / DATE

 Daniel Weidensaul
28-Apr-2021
4:08 PM

APPROVED BY / DATE

Testing results are based solely upon the sample submitted to Botanacor Laboratories, LLC, in the condition it was received. Botanacor Laboratories, LLC warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of Botanacor Laboratories, LLC.

C117S

| | | | |
|-----------|------------------------------|------------|-----------------------|
| Batch ID: | N/A | Test ID: | T000137339 |
| Type: | Edible | Submitted: | 04/26/2021 @ 10:10 AM |
| Test: | Microbial Contaminants | Started: | 4/26/2021 |
| Method: | TM24, TM25, TM26, TM27, TM28 | Reported: | 4/29/2021 |

MICROBIAL CONTAMINANTS

| Contaminant | Result (CFU/g)* |
|--------------------------------|-----------------|
| Total Aerobic Count** | None Detected |
| Total Coliforms** | None Detected |
| Total Yeast and Molds** | None Detected |
| E. coli | Absent |
| E. coli (STEC) | Absent |
| Salmonella | Absent |

* CFU/g = Colony Forming Unit per Gram

** Values recorded in scientific notation, a common microbial practice of expressing numbers that are too large to be conveniently written in decimal form.

Examples: $10^2 = 100$ CFU
 $10^3 = 1,000$ CFU
 $10^4 = 10,000$ CFU
 $10^5 = 100,000$ CFU



NOTES:

Free from visual mold, mildew, and foreign matter

TYM: None Detected

Total Aerobic: None Detected

FINAL APPROVAL


Sarah Henning
29-Apr-2021
10:44 AM
Robert Belfon
29-Apr-2021
4:11 PM

PREPARED BY / DATE

APPROVED BY / DATE

Testing results are based solely upon the sample submitted to Botanacor Laboratories, LLC, in the condition it was received. Botanacor Laboratories, LLC warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of Botanacor Laboratories, LLC. ISO/IEC 17025:2005 Accredited A2LA Certificate Number 4329.03. Testing associated with this certificate of analysis performed by an external ISO17025 accredited provider.



Certificate #4329.03

C117S

| | | | |
|------------------|-------------|-------------------|-----------------------|
| Batch ID: | | Test ID: | T000137338 |
| Type: | Concentrate | Submitted: | 04/26/2021 @ 10:10 AM |
| Test: | Pesticides | Started: | 4/26/2021 |
| Method: | TM17 | Reported: | 4/29/2021 |


PESTICIDE RESIDUE

| Compound | Dynamic Range (ppb) | Result (ppb) | Compound | Dynamic Range (ppb) | Result (ppb) |
|---------------------|---------------------|--------------|-----------------|---------------------|--------------|
| Acephate | 36 - 2609 | ND* | Malathion | 285 - 2609 | ND* |
| Acetamiprid | 41 - 2609 | ND* | Metalaxyl | 51 - 2609 | ND* |
| Abamectin | >426 | ND* | Methiocarb | 38 - 2609 | ND* |
| Azoxystrobin | 59 - 2609 | ND* | Methomyl | 47 - 2609 | ND* |
| Bifenazate | 39 - 2609 | ND* | MGK 264 1 | 157 - 2609 | ND* |
| Boscalid | 68 - 2609 | ND* | MGK 264 2 | 115 - 2609 | ND* |
| Carbaryl | 41 - 2609 | ND* | Myclobutanil | 44 - 2609 | ND* |
| Carbofuran | 48 - 2609 | ND* | Naled | 59 - 2609 | ND* |
| Chlorantraniliprole | 53 - 2609 | ND* | Oxamyl | 37 - 2609 | ND* |
| Chlorpyrifos | 48 - 2609 | ND* | Paclobutrazol | 46 - 2609 | ND* |
| Clofentezine | 294 - 2609 | ND* | Permethrin | 275 - 2609 | ND* |
| Diazinon | 285 - 2609 | ND* | Phosmet | 46 - 2609 | ND* |
| Dichlorvos | >290 | ND* | Prophos | 341 - 2609 | ND* |
| Dimethoate | 38 - 2609 | ND* | Propoxur | 44 - 2609 | ND* |
| E-Fenpyroximate | 287 - 2609 | ND* | Pyridaben | 277 - 2609 | ND* |
| Etofenprox | 43 - 2609 | ND* | Spinosad A | 38 - 2609 | ND* |
| Etoxazole | 324 - 2609 | ND* | Spinosad D | 107 - 2609 | ND* |
| Fenoxycarb | >40 | ND* | Spiromesifen | >269 | ND* |
| Fipronil | 56 - 2609 | ND* | Spirotetramat | >318 | ND* |
| Flonicamid | 42 - 2609 | ND* | Spiroxamine 1 | 22 - 2609 | ND* |
| Fludioxonil | >357 | ND* | Spiroxamine 2 | 23 - 2609 | ND* |
| Hexythiazox | 39 - 2609 | ND* | Tebuconazole | 292 - 2609 | ND* |
| Imazalil | 297 - 2609 | ND* | Thiacloprid | 41 - 2609 | ND* |
| Imidacloprid | 42 - 2609 | ND* | Thiamethoxam | 42 - 2609 | ND* |
| Kresoxim-methyl | 57 - 2609 | ND* | Trifloxystrobin | 59 - 2609 | ND* |


* ND = None Detected (Defined by Dynamic Range of the method)

N/A

FINAL APPROVAL


 Tyler Wiese
 29-Apr-2021
 7:58 AM

PREPARED BY / DATE


 Tavor Brevik
 29-Apr-2021
 8:01 AM

APPROVED BY / DATE

Testing results are based solely upon the sample submitted to Botanacor Laboratories, LLC, in the condition it was received. Botanacor Laboratories, LLC warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of Botanacor Laboratories, LLC.

C117S

| | | | |
|------------------|-------------------|-------------------|-----------------------|
| Batch ID: | | Test ID: | T000137341 |
| Type: | Concentrate | Submitted: | 04/26/2021 @ 10:10 AM |
| Test: | Residual Solvents | Started: | 4/27/2021 |
| Method: | TM04 | Reported: | 4/28/2021 |

RESIDUAL SOLVENTS

| Solvent | Dynamic Range (ppm) | Result (ppm) |
|-----------------------|---------------------|--------------|
| Propane | 67 - 1334 | *ND |
| Butanes | 131 - 2617 | *ND |
| (Isobutane, n-Butane) | | |
| Methanol | 52 - 1042 | *ND |
| Pentane | 73 - 1453 | *ND |
| Ethanol | 75 - 1499 | *ND |
| Acetone | 81 - 1613 | *ND |
| Isopropyl Alcohol | 88 - 1764 | *ND |
| Hexane | 5 - 99 | *ND |
| Ethyl Acetate | 82 - 1632 | *ND |
| Benzene | 0.2 - 3.2 | *ND |
| Heptanes | 77 - 1533 | *ND |
| Toluene | 14 - 289 | *ND |
| Xylenes | 103 - 2065 | *ND |
| (m,p,o-Xylenes) | | |

* ND = None Detected (Defined by Dynamic Range of the method)

NOTES:

N/A

FINAL APPROVAL


Daniel Weidensaul
28-Apr-2021
9:57 AM

PREPARED BY / DATE


Ryan Weems
28-Apr-2021
12:32 PM

APPROVED BY / DATE

Testing results are based solely upon the sample submitted to Botanacor Laboratories, LLC, in the condition it was received. Botanacor Laboratories, LLC warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of Botanacor Laboratories, LLC. ISO/IEC 17025:2005 Accredited A2LA Certificate Number 4329.02



Certificate #4329.02