



Report Number: 20-005322/D10.R01 **Report Date:** 06/09/2020 **ORELAP#:** OR100028 **Purchase Order:** Received: 05/22/20 16:25

This is an amended version of report# 20-005322/D10.R00. Reason: Results reported in %, mg/g and mg/30ml.

Customer:	Sentia Wellness
Product identity:	Social 1000mg CBD Drops Peppermint R&D SL GCLDR-02
Client/Metrc ID:	
Laboratory ID:	20-005322-0004

Summary

Analyte	Result	Limits	Units	Status	CBD-Total (%)	3.77%
CBD	3.77		%			
CBDV [†]	0.00621		%			
CBG-A [†]	0.0100		%		CBD-Total per 1g	37.7 mg/1g
Analyte per 1g	Result	Limits	Units	Status	CBD-Total per 30ml	 1230 mg/30ml
CBD per 1g	37.7		mg/1g		+	
CBDV per 1g	0.0621		mg/1g			<loq< td=""></loq<>
CBG-A per 1g	0.100		mg/1g		THC-Total (%)	
				_	(Reported in millig	ams per serving)
Analyte per 30ml	Result	Limits	Units	Status		
CBD per 30ml	1230		mg/30ml			
CBDV per 30ml	2.03		mg/30ml			
CBG-A per 30ml	3.27		mg/30ml			

Residual Solvents:

All analytes passing and less than LOQ.

Pesticides:

All analytes passing and less than LOQ.

_ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _

Metals:

Less than LOQ for all analytes.

Microbiology:

Less than LOQ for all analytes.

_ _ _ _ _ _ _ _ _ _ _ _ _

Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.

_ _ _ _ _ _ _ _ _ _ _





Report Number:	20-005322/D10.R01
Report Date:	06/09/2020
ORELAP#:	OR100028
Purchase Order:	
Received:	05/22/20 16:25

Customer:	Sentia Wellness PO Box 5665 Portland Oregon 97228 United States
Product identity: Client/Metrc ID: Sample Date:	Social 1000mg CBD Drops Peppermint R&D SL GCLDR-02
Laboratory ID:	20-005322-0004
Relinquished by:	Alex Grabow
Temp:	23 °C

Sample Results

Potency	Method J AOA	C 2015 V98-6 (mod)	Batch: 2004527		Analyze: 5/26/20 11:30:00 AM
Analyte	Result	Limits	Units	LOQ	Notes
CBC	< LOQ		%	0.0032	
CBC-A [†]	< LOQ		%	0.0032	
CBC-Total [†]	< LOQ		%	0.0061	
CBD	3.77		%	0.0324	
CBD-A	< LOQ		%	0.0032	
CBD-Total	3.77		%	0.0353	
CBDV [†]	0.00621		%	0.0032	
CBDV-A [†]	< LOQ		%	0.0032	
CBDV-Total [†]	0.00621		%	0.0061	
CBG [†]	< LOQ		%	0.0032	
CBG-A [†]	0.0100		%	0.0032	
CBG-Total	0.00878		%	0.0061	
CBL [†]	< LOQ		%	0.0032	
CBN	< LOQ		%	0.0032	
$\Delta 8\text{-THC}^{\dagger}$	< LOQ		%	0.0032	
Δ9-THC	< LOQ		%	0.0032	
THC-A	< LOQ		%	0.0032	
THC-Total	< LOQ		%	0.0061	
THCV [†]	< LOQ		%	0.0032	
THCV-A [†]	< LOQ		%	0.0032	
THCV-Total [†]	< LOQ		%	0.0061	
Total Cannabinoids [†]	3.79		%		

Potency per 1g	Method J AOA	AC 2015 V98-6 (mod)	Batch: 2004	527	Analyze: 5/26/20 11:30:00 AM
Analyte	Result	Limits	Units	LOQ	Notes
CBC per 1g	< LOQ		mg/1g	0.0324	
CBC-A per 1g	< LOQ		mg/1g	0.0324	
CBC-Total per 1g	< LOQ		mg/1g	0.0609	
CBD per 1g	37.7		mg/1g	0.324	
CBD-A per 1g	< LOQ		mg/1g	0.0324	
CBD-Total per 1g	37.7		mg/1g	0.353	
CBDV per 1g	0.0621		mg/1g	0.0324	

Page 2 of 13

Page 2 of 13 <u>www.columbialaboratories.com</u> Page 2 of 13 Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.





Report Number: 20-005322/D10.R01 **Report Date:** 06/09/2020 **ORELAP#:** OR100028 **Purchase Order: Received:** 05/22/20 16:25

Potency per 1g	Method J AOA	C 2015 V98-6 (mod)	Batch: 2004527		Analyze: 5/26/20 11:30:00 AM
Analyte	Result	Limits	Units	LOQ	Notes
CBDV-A per 1g	< LOQ		mg/1g	0.0324	
CBDV-Total per 1g	0.0621		mg/1g	0.0606	
CBG per 1g	< LOQ		mg/1g	0.0324	
CBG-A per 1g	0.100		mg/1g	0.0324	
CBG-Total per 1g	0.0867		mg/1g	0.0606	
CBL per 1g	< LOQ		mg/1g	0.0324	
CBN per 1g	< LOQ		mg/1g	0.0324	
$\Delta 8$ -THC per 1g	< LOQ		mg/1g	0.0324	
$\Delta 9$ -THC per 1g	< LOQ		mg/1g	0.0324	
THC-A per 1g	< LOQ		mg/1g	0.0324	
THC-Total per 1g	< LOQ		mg/1g	0.0609	
THCV per 1g	< LOQ		mg/1g	0.0324	
THCV-A per 1g	< LOQ		mg/1g	0.0324	
THCV-Total per 1g	< LOQ		mg/1g	0.0609	
Total Cannabinoids 1g [†]	37.9		mg/1g		
Potency per 30ml	Method J AOA	C 2015 V98-6 (mod)	Batch: 2004527		Analyze: 5/26/20 11:30:00 AM
Analyte	Result	Limits	Units	LOQ	Notes
CBC per 30ml	< LOQ		mg/30ml	2.12	
CBC-A per 30ml	< LOQ		mg/30ml	2.12	
CBC-Total per 30ml	< LOQ		mg/30ml	3.98	
CBD per 30ml	1230		mg/30ml	10.6	
CBD-A per 30ml	< LOQ		mg/30ml	2.12	
CBD-Total per 30ml	1230		mg/30ml	11.5	
CBDV per 30ml	2.03		mg/30ml	1.06	
CBDV-A per 30ml	< LOQ		mg/30ml	1.06	
CBDV-Total per 30ml	2.27		mg/30ml	1.98	
CBG per 30ml	< LOQ		mg/30ml	2.12	
CBG-A per 30ml	3.27		mg/30ml	1.06	
CBG-Total per 30ml	2.83		mg/30ml	1.98	
CBL per 30ml	< LOQ		mg/30ml	2.12	
CBN per 30ml	< LOQ		mg/30ml	2.12	
$\Delta 8$ -THC per 30ml	< LOQ		mg/30ml	2.12	
∆9-THC per 30ml	< LOQ		mg/30ml	1.06	
THC-A per 30ml	< LOQ		mg/30ml	2.12	
THC-Total per 30ml			-		
	< LOQ		mg/30ml	1.99	
THCV per 30ml			-	1.99 2.12	

LOQ Analyte Result Limits Units Batch Method Notes Analyze 1.09 05/27/20 **Client Provided** Density g/ml

mg/30ml

mg/30ml

mg/30ml

2.12

3.98

Page 3 of 13

Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.

< LOQ

< LOQ

1240

THCV-A per 30ml

THCV-Total per 30ml

Total Cannabinoids 30ml[†]



Total Xylenes and Ethyl < LOQ

12423 NE Whitaker Way Portland, OR 97230 503-254-1794



Report Number: 20-005322/D10.R01 **Report Date:** 06/09/2020 **ORELAP#:** OR100028 **Purchase Order: Received:** 05/22/20 16:25

Microbiology											
Analyte		Result	Limits	Units	LOQ	Batch	Analyze	Method			Notes
Aerobic Plate Count		< LOQ		cfu/g	10	2004347	05/28/20	AOAC 990.	12 (Peti	rifilm)	Х
E.coli		< LOQ		cfu/g	10	2004346	05/28/20	AOAC 991.	14 (Peti	rifilm)	Х
Total Coliforms		< LOQ		cfu/g	10	2004346	05/28/20	AOAC 991.	14 (Peti	rifilm)	Х
Mold (RAPID Petrifilm)		< LOQ		cfu/g	10	2004345	05/28/20	AOAC 2014	1.05 (R <i>A</i>	APID)	Х
Yeast (RAPID Petrifilm)		< LOQ		cfu/g	10	2004345	05/28/20	AOAC 2014	1.05 (R <i>A</i>	APID)	Х
Salmonella spp.		Negative		/10g		2004337	05/27/20	AOAC 2016	5.01		X
Solvents	Method	EPA5021A	L.		Units	sµg∕g Ba t	t ch 2004344	Analyz	e 05/2	6/20 [·]	11:30 AM
Analyte	Result	Limits LO	Q Status	Notes	Analy	rte	Resul	lt Limits	LOQS	Status	Notes
1,4-Dioxane	< LOQ	380 1	00 pass		2-Buta	anol	< LOC	Q 5000	200	pass	
2-Ethoxyethanol	< LOQ	160 3	0.0 pass		2-Met	hylbutane	< LOC	Q	200		
2-Methylpentane	< LOQ	3	0.0		2-Pro	panol (IPA)	< LOC	Q 5000	200	pass	
2,2-Dimethylbutane	< LOQ	3	0.0		2,2-D	imethylpropa	ne < LOC	Q	200		
2,3-Dimethylbutane	< LOQ	3	0.0		3-Met	hylpentane	< LO0	Q	30.0		
Acetone	< LOQ	5000 2	200 pass		Aceto	nitrile	< LO0	Q 410	100	pass	
Benzene	< LOQ	2.00 1	.00 pass		Butan	es (sum)	< LOC	Q 5000	400	pass	
Cyclohexane	< LOQ	3880 2	200 pass		Ethan	ol†	< LOC	ג	200		
Ethyl acetate	< LOQ	5000 2	200 pass		Ethyl	benzene	< LOC	ג	200		
Ethyl ether	< LOQ	5000 2	200 pass		Ethyle	ene glycol	< LOC	Q 620	200	pass	
Ethylene oxide	< LOQ	50.0 3	0.0 pass		Hexar	nes (sum)	< LOC	Q 290	150	pass	
Isopropyl acetate	< LOQ	5000 2	200 pass		Isopro	pylbenzene	< LOC	Q 70.0	30.0	pass	
m,p-Xylene	< LOQ	2	200		Metha	anol	< LOC	Q 3000	200	pass	
Methylene chloride	< LOQ	600 2	200 pass		Methy	lpropane	< LOC	ג	200		
n-Butane	< LOQ	2	200		n-Hep	otane	< LOC	Q 5000	200	pass	
n-Hexane	< LOQ	3	0.0		n-Pen	itane	< LOC	ג	200		
o-Xylene	< LOQ	2	200		Penta	nes (sum)	< LOC	Q 5000	600	pass	
Propane	< LOQ	5000 2	200 pass		Tetrał	nydrofuran	< LOC	Q 720	100	pass	
Toluene	< LOQ	890 1	00 pass		Total	Xylenes	< LOC	ג	400		
•			•			2				pass	

_ _

Page 4 of 13 <u>www.columbialaboratories.com</u> Page 4 of 13 Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.

600 pass

2170



12423 NE Whitaker Way Portland, OR 97230 503-254-1794



Report Nu	umber:	20-005322/D10.R0					
Report Da	ite:	06/09/2020					
ORELAP#	ŧ:	OR100028					
Purchase	Order:						
Received:		05/22/20	16:25				
04485	Analyze	05/29/20	12:49 PM				
Decult	Limite I (Ctotus	Notos				

Pesticides	Method	AOAC	2007.01 & EN	15662 (mod)	Units mg/kg Ba	atch 2004485	Analy	ze 05/29/20 12:49 PM
Analyte	Result	Limits	s LOQ Status	Notes	Analyte	Result	Limits	s LOQ Status Notes
Abamectin	< LOQ	0.50	0.250 pass		Acephate	< LOQ	0.40	0.250 pass
Acequinocyl	< LOQ	2.0	1.00 pass		Acetamiprid	< LOQ	0.20	0.100 pass
Aldicarb	< LOQ	0.40	0.200 pass		Azoxystrobin	< LOQ	0.20	0.100 pass
Bifenazate	< LOQ	0.20	0.100 pass		Bifenthrin	< LOQ	0.20	0.100 pass
Boscalid	< LOQ	0.40	0.200 pass		Carbaryl	< LOQ	0.20	0.100 pass
Carbofuran	< LOQ	0.20	0.100 pass		Chlorantraniliprole	e < LOQ	0.20	0.100 pass
Chlorfenapyr	< LOQ	1.0	0.500 pass		Chlorpyrifos	< LOQ	0.20	0.100 pass
Clofentezine	< LOQ	0.20	0.100 pass		Cyfluthrin	< LOQ	1.0	0.500 pass
Cypermethrin	< LOQ	1.0	0.500 pass		Daminozide	< LOQ	1.0	0.500 pass
Diazinon	< LOQ	0.20	0.100 pass		Dichlorvos	< LOQ	1.0	0.500 pass
Dimethoate	< LOQ	0.20	0.100 pass		Ethoprophos	< LOQ	0.20	0.100 pass
Etofenprox	< LOQ	0.40	0.200 pass		Etoxazole	< LOQ	0.20	0.100 pass
Fenoxycarb	< LOQ	0.20	0.100 pass		Fenpyroximate	< LOQ	0.40	0.200 pass
Fipronil	< LOQ	0.40	0.200 pass		Flonicamid	< LOQ	1.0	0.400 pass
Fludioxonil	< LOQ	0.40	0.200 pass		Hexythiazox	< LOQ	1.0	0.400 pass
Imazalil	< LOQ	0.20	0.100 pass		Imidacloprid	< LOQ	0.40	0.200 pass
Kresoxim-methyl	< LOQ	0.40	0.200 pass		Malathion	< LOQ	0.20	0.100 pass
Metalaxyl	< LOQ	0.20	0.100 pass		Methiocarb	< LOQ	0.20	0.100 pass
Methomyl	< LOQ	0.40	0.200 pass		MGK-264	< LOQ	0.20	0.100 pass
Myclobutanil	< LOQ	0.20	0.100 pass		Naled	< LOQ	0.50	0.250 pass
Oxamyl	< LOQ	1.0	0.500 pass		Paclobutrazole	< LOQ	0.40	0.200 pass
Parathion-Methyl	< LOQ	0.20	0.200 pass		Permethrin	< LOQ	0.20	0.100 pass
Phosmet	< LOQ	0.20	0.100 pass		Piperonyl butoxide	e < LOQ	2.0	1.00 pass
Prallethrin	< LOQ	0.20	0.200 pass		Propiconazole	< LOQ	0.40	0.200 pass
Propoxur	< LOQ	0.20	0.100 pass		Pyrethrin I (total)	< LOQ	1.0	0.500 pass
Pyridaben	< LOQ	0.20	0.100 pass		Spinosad	< LOQ	0.20	0.100 pass
Spiromesifen	< LOQ	0.20	0.100 pass		Spirotetramat	< LOQ	0.20	0.100 pass
Spiroxamine	< LOQ	0.40	0.200 pass		Tebuconazole	< LOQ	0.40	0.200 pass
Thiacloprid	< LOQ	0.20	0.100 pass		Thiamethoxam	< LOQ	0.20	0.100 pass
Trifloxystrobin	< LOQ	0.20	0.100 pass					

Metals								
Analyte	Result	Limits	Units	LOQ	Batch	Analyze	Method	Notes
Arsenic	< LOQ		mg/kg	0.0344	2004635	05/29/20	AOAC 2013.06 (mod.)	Х
Cadmium	< LOQ		mg/kg	0.0344	2004635	05/29/20	AOAC 2013.06 (mod.)	Х
Lead	< LOQ		mg/kg	0.0344	2004635	05/29/20	AOAC 2013.06 (mod.)	Х
Mercury	< LOQ		mg/kg	0.0172	2004635	05/29/20	AOAC 2013.06 (mod.)	Х

Page 5 of 13 <u>www.columbialaboratories.com</u> Page 5 of 13 Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.





Report Number: 20-005322/D10.R01 **Report Date:** 06/09/2020 ORELAP#: OR100028 **Purchase Order:** Received: 05/22/20 16:25

These test results are representative of the individual sample selected and submitted by the client.

Abbreviations

Limits: Action Levels per OAR-333-007-0400, OAR-333-007-0210, OAR-333-007-0220 Limit(s) of Quantitation (LOQ): The minimum levels, concentrations, or quantities of a target variable (e.g., target analyte) that can be reported with a specified degree of confidence.

[†] = Analyte not NELAP accredited.

Units of Measure

cfu/g = Colony forming units per gram g = Gram g/ml = Gram per milliliter $\mu g/g = Microgram per gram$ mg/kg = Milligram per kilogram = parts per million (ppm) mg/1g = Milligram per 1gmg/30ml = Milligram per 30ml /10g = Per 10 grams % = Percentage of sample % wt = μ g/g divided by 10,000

Glossary of Qualifiers

X: Not ORELAP accredited.

Approved Signatory

Derrick Tanner General Manager

Page 6 of 13

Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made

6	
	A Tentamus Company

CO

A Te

SENTIAWELL

Sentia Wellness

20-005322

12423 NE Whitaker Way Portland, OR 97230 503-254-1794



Report Number: 20-005322/D10.R01 **Report Date:** 06/09/2020 **ORELAP#:** OR100028 Purchase Order:

Received: 05/22/20 16:25 Hemp Products Chain of Custody Record 00 Control#: CF002 Rev: 02/27/2020 Eff: 02/27/2020 ORELAP ID: OR100028 20-005322

Co	mpany: Sentia Wellness				and the second	A	nalysis	equested					
Co	ntact: Erin Harbacek		-						TT		PO Number: _		
	eet: Sandy Location			8		5				Pro	ject Number: _		
	Portland State: OR Z	07220	•	(anno	2						roject Name: _		
				3		(ANN a				Custo	m Reporting: _		
	mail Results: erin.harbacek@sentiaw		0 0 0 0	(6		0							ther:
P	n: () 🗆 Fx Results: ()		ORS	ven	s	>			Tu	rn-around time		🗆 Rush * 🗆 Priority Rush *
	ng (if different):		5	s (C	lal Sol	Meta	piolog			Sample	d by:	*Ask for av	ailability
Lab ID	Client Sample Identification	Date	Potency	Pestic	Residual Solvents	Heavy Metals	Microbiology			Sample	Report units	Serving size	
Ø	Social 500mg CBD Drops		1	1	1	1	1			Type †	(potency) %	(edibles)	Comments/Metrc ID
x A	Lavender R&D SL GCLDR-05		1	+-	-	-					%	60mL	Drops reporting units: %, mg/g, mg/container
(2	Social 1000mg CBD Drops		1	\checkmark	1								
6	Lavender R&D SL GCLDR-01		V	V	\checkmark	\checkmark	\checkmark			Т	%	60mL	Micro: APC, Y&M, Ecoli/coliform
6				-									Salmonella spp
3	Social 500mg CBD Drops		\checkmark	\checkmark	\checkmark	\checkmark	\checkmark			Т	%	60mL	
e'	Peppermint R&D SL GCLDR-0												
4	Social 1000mg CBD Drops		\checkmark	\checkmark	1	\checkmark	1			Т	%	60mL	
	Peppermint R&D SL GCLDR-0		-			-					/0	BUML	
5	Social 500mg CBD Drops		\checkmark	\checkmark	1	1	1						
-	Unflavored R&D SL GCLDR-08		V	V	V	V	~			Т	%	60mL	
	Relinquished By: Date	Time	1012.110										
0.1			/	7	Receiv	ed by:	al and	Date	Time	Sec. Sec.		Lab Use O	
Atle	Hex Graban 5/22 485 pm			m	U			5-72-22	11.2				
			-7		-			2004	16:4	Evidence	of cooling: \Box y	res 🗆 No - Te	emp (°C):C
			'							Sample ir	good conditio	n: 🗆 yes 🖉 No	ō
											rage:		

† - Sample type codes: Topicals (L); Edibles (Ε); Tincture (T); Bath Salts (S); Beverages (B) Report unit options: % ; mg/g ; mg/serving

Samples submitted to CL with testing requirements constitute an agreement for services in accordance with the current terms of service associated with this COC. By signing "Relinquished by" you are agreeing to these terms. 12423 NE Whitaker Way Portland, OR 97230 P: (503) 254-1794 | Fax: (503) 254-1452 info@columbialaboratories.com

Page _____of _____ www.columbialaboratories.com

Page 7 of 13

Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.





Report Number: 20-005322/D10.R01 **Report Date:** 06/09/2020 ORELAP#: OR100028 **Purchase Order: Received:** 05/22/20 16:25

Columbia Hemp Products Chain of Custody Record 70-005377 ABORATORIES Revision: 0.00 Control#: CF002 Rev: 02/27/2020 Eff: 02/27/2020 A Tentamus Company ORELAP ID: OR100028 Company: Sentia Wellness Analysis Requested PO Number: Contact: Erin Harbacek Project Number: Street: Sandy Location Pesticides (OR 59) LANNA Residual Solvents ເຝາກູ Project Name: City: Portland State: OR Zip: 97230 Custom Reporting: canno Email Results: erin.harbacek@sentiawellness.com Report to State -
METRC or
Other: Canna Turn¬around time: ☑ Standard □ Rush * □ Priority Rush * Ph:() _ Fx Results: (___)_ Heavy Metals Microbiology *Ask for availability Billing (if different): Potency Sampled by: Lab Sample Report units Serving size ID Client Sample Identification Date Type + (potency) (edibles) Comments/Metrc ID Social 1000mg CBD Drops 1 \checkmark 1 \checkmark \checkmark т % 60mL Drops reporting units: %, mg/g, Unflavored R&D SL GCLDR-04 mg/container Social 500mg CBD Drops X \checkmark \checkmark \checkmark \checkmark 1 т % 60mL Micro: APC, Y&M, Ecoli/coliform, Lemon Ginger R&D SL GCLDF Salmonella spp Social 1000mg CBD Drops 1 1 \checkmark 1 1 Т % 60mL Lemon Ginger R&D SL GCLDF Select 1000mg Hemp Drops \checkmark \checkmark \checkmark \checkmark 1 % Т 60mL Lemon Ginger R&D SL LDR-2 Relinquished By: Date Time Received by: Date Time Lab Use Only: 5/22 4:25p □ Shipped Via: Alex Grabou nc or Client drop off 5-22-20 16:25 Evidence of cooling:

yes |
No - Temp (°C): _____ 23.0 Sample in good condition:
yest No_ □ Cash | □ Check | □ CC | □ Net: _ Prelog storage: + - Sample type codes: Topicals (L); Edibles (E); Tincture (T); Bath Salts (S); Beverages (B)

Report unit options: % ; mg/g ; mg/serving

Samples submitted to CL with testing requirements constitute an agreement for services in a ance with the current terms of service associated with this COC. By signing "Relinquished by" you are agreeing to these terms. 12423 NE Whitaker Way P: (503) 254-1794 | Fax: (503) 254-1452 Portland, OR 97230

info@columbialaboratories.com

Page _____ of _____ www.columbialaboratories.com

Page 8 of 13

Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.





Report Number:	20-005322/D10.R01
Report Date:	06/09/2020
ORELAP#:	OR100028
Purchase Order:	
Received:	05/22/20 16:25

EPA 5021			,		trol Results		ch ID:	200434	4			
Method Blank					Laborator	v Control S	ample	1				
Analyte	Result		LOQ	Notes	Result	Spike	Units	% Rec	1	Limi	its	Notes
Propane	ND	<	200		1280	1.190	µg/g	107.6	70	-	130	
Isobutane	ND	<	200		1630	1.520	µg/g	107.2	70	-	130	
Butane	ND	<	200		1670	1.520	μg/g	109.9	70	-	130	
2.2-Dimethylpropane	ND	<	200		2040	1.910	µg/g	106.8	70	-	130	
Methanol	ND	<	200		3550	3,210	µg/g	110.6	70		130	
Ethylene Oxide	ND	<	30		130	117	µg/g	111.1	70	-	130	
2-Methylbutane	ND	<	200		3560	3,200	µg/g	111.3	70	-	130	
Pentane	ND	<	200		3610	3,210	µg/g	112.5	70	-	130	
Ethanol	ND	<	200		3560	3,220	µg/g	110.6	70	-	130	
Ethyl Ether	ND	<	200		3520	3,210	µg/g	109.7	70	-	130	
2,2-Dimethylbutane	ND	<	30		349	338	µg/g	103.3	70	-	130	
Acetone	ND	<	200		3600	3,230	µg/g	111.5	70	-	130	
2-Propanol	ND	<	200		3600	3,220	µg/g	111.8	70	-	130	
Acetonitrile	ND	<	100		1060	986	µg/g	107.5	70	-	130	
2,3-Dimethylbutane	ND	<	30		410	333	µg/g	123.1	70	-	130	
Dichloromethane	ND	<	200		1050	990	µg/g	106.1	70	-	130	
2-Methylpentane	ND	<	30		323	329	µg/g	98.2	70	-	130	
3-Methylpentane	ND	<	30		354	328	µg/g	107.9	70	-	130	
Hexane	ND	<	30		354	322	µg/g	109.9	70	-	130	
Ethyl acetate	ND	<	200		3650	3,220	µg/g	113.4	70	-	130	
2-Butanol	ND	<	200		3660	3,200	µg/g	114.4	70	-	130	
Tetrahydrofuran	ND	<	100		1080	966	µg/g	111.8	70	-	130	
Cyclohexane	ND	<	200		3530	3,210	µg/g	110.0	70	-	130	
Benzene	ND	<	1		43.6	40.6	µg/g	107.4	70	-	130	
Isopropyl Acetate	ND	<	200		3690	3,210	µg/g	115.0	70	-	130	
Heptane	ND	<	200		3680	3,210	µg/g	114.6	70	-	130	
1,4-Dioxane	ND	<	100		1080	969	µg/g	111.5	70	-	130	
2-Ethoxyethanol	ND	<	30		380	331	µg/g	114.8	70	-	130	
Ethylene Glycol	ND	<	200		918	976	µg/g	94.1	70	-	130	
Toluene	ND	<	200		1110	964	µg/g	115.1	70	-	130	
Ethylbenzene	ND	<	200		2330	1,930	µg/g	120.7	70	-	130	
m,p-Xylene	ND	<	200		2320	1,940	µg/g	119.6	70	-	130	
o-Xylene	ND	<	200		2360	1,940	µg/g	121.6	70	-	130	
Cumene	ND	<	30		390	322	µg/g	121.1	70	-	130	

Page 9 of 13

Page 9 of 13 <u>www.columbialaboratories.com</u> Page 9 of 13 Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.





Report Number:	20-005322/D10.R01
Report Date:	06/09/2020
ORELAP#:	OR100028
Purchase Order:	
Received:	05/22/20 16:25

QC - Sample Duplicate			Sample ID: 20-005022-0002										
Analyte	Result	Org. Result	LOQ	Units	RPD	Limits	Accept/Fail	Notes					
Propane	ND	ND	200	µg/g	0.0	< 20	Acceptable						
Isobutane	ND	ND	200	µg/g	0.0	< 20	Acceptable						
Butane	ND	ND	200	µg/g	0.0	< 20	Acceptable						
2,2-Dimethylpropane	ND	ND	200	µg/g	0.0	< 20	Acceptable						
Methanol	ND	ND	200	µg/g	0.0	< 20	Acceptable						
Ethylene Oxide	ND	ND	30	µg/g	0.0	< 20	Acceptable						
2-Methylbutane	ND	ND	200	µg/g	0.0	< 20	Acceptable						
Pentane	ND	ND	200	µg/g	0.0	< 20	Acceptable						
Ethanol	ND	ND	200	µg/g	0.0	< 20	Acceptable						
Ethyl Ether	ND	ND	200	µg/g	0.0	< 20	Acceptable						
2,2-Dimethylbutane	ND	ND	30	µg/g	0.0	< 20	Acceptable						
Acetone	ND	ND	200	µg/g	0.0	< 20	Acceptable						
2-Propanol	ND	ND	200	µg/g	0.0	< 20	Acceptable						
Acetonitrile	ND	ND	100	µg/g	0.0	< 20	Acceptable						
2,3-Dimethylbutane	ND	ND	30	µg/g	0.0	< 20	Acceptable						
Dichloromethane	ND	ND	200	µg/g	0.0	< 20	Acceptable						
2-Methylpentane	ND	ND	30	µg/g	0.0	< 20	Acceptable						
3-Methylpentane	ND	ND	30	µg/g	0.0	< 20	Acceptable						
Hexane	ND	ND	30	µg/g	0.0	< 20	Acceptable						
Ethyl acetate	ND	ND	200	µg/g	0.0	< 20	Acceptable						
2-Butanol	ND	ND	200	µg/g	0.0	< 20	Acceptable						
Tetrahydrofuran	ND	ND	100	µg/g	0.0	< 20	Acceptable						
Cyclohexane	ND	ND	200	µg/g	0.0	< 20	Acceptable						
Benzene	ND	ND	1	µg/g	0.0	< 20	Acceptable						
Isopropyl Acetate	ND	ND	200	µg/g	0.0	< 20	Acceptable						
Heptane	ND	ND	200	µg/g	0.0	< 20	Acceptable						
1,4-Dioxane	ND	ND	100	µg/g	0.0	< 20	Acceptable						
2-Ethoxyethanol	ND	ND	30	µg/g	0.0	< 20	Acceptable						
Ethylene Glycol	ND	ND	200	µg/g	0.0	< 20	Acceptable						
Toluene	ND	ND	200	µg/g	0.0	< 20	Acceptable						
Ethylbenzene	ND	ND	200	µg/g	0.0	< 20	Acceptable						
m,p-Xylene	ND	ND	200	µg/g	0.0	< 20	Acceptable						
o-Xylene	ND	ND	200	µg/g	0.0	< 20	Acceptable						
Cumene	ND	ND	30	µg/g	0.0	< 20	Acceptable						

Abbreviations

ND - None Detected at or above MRL

RPD - Relative Percent Difference LOQ - Limit of Quantitation

* Screening only Q1 Quality Control result biased high. Only non detect samples reported.

Units of Measure:

µg/g- Microgram per gram or ppm mg/Kg - Milligrams per Kilogram Aw- Water Activity unit

Page 10 of 13

Page 10 of 13 Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.





Report Number:	20-005322/D10.R01
Report Date:	06/09/2020
ORELAP#:	OR100028
Purchase Order:	
Received:	05/22/20 16:25

	Revision: 1.00 Control: CFL-C21
Revised: 08	/12/2019 Effective: 08/15/2019

AOAC 2007.1 & EN 15662		Units:	mg/Kg			Ba	tch ID: 200448	5
Method Blank				Laboratory Con	trol Sample			
Analyte	Blank Result	Blank Limits	Notes	LCS Result	LCS Spike	LCS % Rec	Limits	Notes
Acephate	0.009	< 0.200		1.089	1.000	108.9	70.6 - 119	
Acequinocyl	0.173	< 1.000		4.073	4.000	101.8	78.7 - 116	
Acetamiprid	0.000	< 0.100		0.438	0.400	109.5	81.0 - 115	
Aldicarb	0.000	< 0.200		0.873	0.800	109.1	77.0 - 119	1
Abamectin	0.000	< 0.288	3	1.067	1.000	106.7	75.3 - 122	
Azoxystrobin	0.023	< 0.100		0.425	0.400	106.4	72.6 - 123	
Bifenazate	0.006	< 0.100		0.448	0.400	111.9	83.0 - 113	1
Bifenthrin	0.014	< 0.100		0.449	0.400	112.2	79.9 - 117	
Boscalid	0.000	< 0.100		0.873	0.800	109.1	76.3 - 126	1
Carbaryl	0.003	< 0.100		0.447	0.400	111.8	80.7 - 116	
Carbofuran	0.014	< 0.100		0.436	0.400	109.0	81.6 - 117	1
Chlorantraniliprol	0.007	< 0.100		0.423	0.400	105.6	76.7 - 124	
Chlorfenapyr	0.000	< 1.000		2.023	2.000	101.2	67.4 - 125	1
Chlorpyrifos	0.000	< 0.100		0.449	0.400	112.2	68.4 - 120	-
Clofentezine	0.009	< 0.100		0.430	0.400	107.5	66.0 - 123	1
Cyfluthrin	0.000	< 1.000		2.211	2.000	110.5	70.6 - 127	
Cypermethrin	0.009	< 1.000		2.185	2.000	109.3	80.4 - 117	-
Daminozide	0.026	< 1.000	-	2.185	2.000	109.5	74.7 - 119	-
Diazinon	0.028	< 0.100		0.439	0.400	104.0	78.9 - 116	1
Diazinon	0.007	< 0.500		2.144	2.000	109.7	76.7 - 114	I
Dimethoat	0.006	< 0.100		0.445	0.400	107.2	80.0 - 114	
	0.006				0.400	106.9		L
Ethoprophos		< 0.100		0.428				
Etofenprox	0.051	< 0.100		0.838	0.800	104.7	82.6 - 116	
Etoxazol	0.010	< 0.100	2	0.413	0.400	103.2	79.8 - 116	
Fenoxycarb	0.007	< 0.100		0.430	0.400	107.6	82.7 - 113	
Fenpyroximat	0.016	< 0.100		0.895	0.800	111.9	84.5 - 111	Q1
Fipronil	0.016	< 0.100		0.808	0.800	101.1	78.5 - 118	
Flonicamid	0.000	< 0.400		1.107	1.000	110.7	79.0 - 118	
Fludioxonil	0.000	< 0.100		0.890	0.800	111.2	72.3 - 134	
Hexythiazox	0.015	< 0.400		1.134	1.000	113.4	82.4 - 115	
mazalil	0.005	< 0.100		0.448	0.400	112.0	78.4 - 124	
midacloprid	0.022	< 0.200		0.883	0.800	110.3	78.4 - 115	1
Kresoxim-Methyl	0.004	< 0.100		0.875	0.800	109.3	75.7 - 123	
Valathion	0.006	< 0.100		0.423	0.400	105.7	77.2 - 118	1
Vietalaxyl	0.000	< 0.100		0.431	0.400	107.6	75.7 - 120	
Vethiocarb	0.030	< 0.100		0.453	0.400	113.4	78.7 - 119	1
Vethomyl	0.000	< 0.200		0.868	0.800	108.5	72.4 - 123	-
VIGK 264	0.000	< 0.100		0.425	0.400	106.2	79.5 - 116	I
Vyclobutanil	0.000	< 0.100	-	0.423	0.400	105.8	83.5 - 113	
Valed	0.033	< 0.200		1.099	1.000	109.9	72.7 - 123	
Dxamyl	0.000	< 0.400		2.030	2.000	109.9	71.3 - 124	
Jxamyi Paclobutrazol	0.000	< 0.400	-	0.868	0.800	101.5		-
								-
Parathion Methyl	0.000	< 0.200	<u></u>	0.760	0.800	95.0		I
Permethrin	0.015	< 0.100		0.427	0.400	106.7	80.1 - 115	L
Phosmet	0.006	< 0.100		0.449	0.400	112.2	81.8 - 115	I
Piperonyl butoxide	0.036	< 1.000		2.200	2.000	110.0	83.8 - 119	
Prallethrin	0.001	< 0.200	1	0.430	0.400	107.6	69.8 - 130	I
Propiconazole	0.003	< 0.200		0.859	0.800	107.4	82.5 - 113	
Propoxur	0.013	< 0.100		0.429	0.400	107.1	82.0 - 112	
Pyrethrins	0.008	< 0.500	2	0.416	0.413	100.8	69.9 - 130	
Pyridaben	0.000	< 0.100		0.459	0.400	114.7	80.5 - 122	
pinosad	0.000	< 0.100		0.446	0.388	114.9	84.2 - 121	
Spiromesifen	0.000	< 0.100		0.414	0.400	103.5	68.5 - 127	
pirotetramat	0.009	< 0.100		0.429	0.400	107.2	81.2 - 115	1
piroxamine	0.022	< 0.100		0.868	0.800	108.5	79.4 - 116	1
Febuconazol	0.008	< 0.200		0.871	0.800	108.9	79.4 - 117	1
hiacloprid	0.008	< 0.100		0.430	0.400	107.5	80.1 - 115	
Thiamethoxam	0.000	< 0.100	-	0.430	0.400	110.5	71.8 - 125	
Frifloxystrobin	0.009	< 0.100	-	0.432	0.400	108.0	80.4 - 115	I

Page 11 of 13

Page 11 of 13 <u>www.columbialaboratories.com</u> Page 11 of 13 Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.





Report Number:	20-005322/D10.R01
Report Date:	06/09/2020
ORELAP#:	OR100028
Purchase Order:	
Received:	05/22/20 16:25

Revision: 1.00 Control: CFL-C21

Laboratory Pesticide Quality Control Results NOAC 2007.1 & EN 15662 Units: mg/Kg Batch ID: 2004485										5
Matrix Spike/Matrix Spike I	Duplicate Reco	/eries		0. 0			Sample ID:	20-005206-0		4
Analyte	Result	MS Res	MSD Res	Spike	RPD%	Limit		MSD % Rec	Limits	Notes
Acephate	0.000	1.164	1.141	1.000	2.0	< 30	116.4	114.1	50 - 150	1
Acequinocyl	0.000	4.261	4.264	4.000	0.1	< 30	106.5	106.6	50 - 150	
Acetamiprid	0.000	0.440	0.443	0.400	0.7	< 30	110.0	110.8	50 - 150	1
Aldicarb	0.000	0.877	0.874	0.800	0.3	< 30	109.6	109.2	50 - 150	1
Abamectin	0.000	1.424	1.426	1.000	0.2	< 30	142.4	142.6	50 - 150	1
Azoxystrobin	0.000	0.462	0.428	0.400	7.7	< 30	115.4	106.9	50 - 150	
Bifenazate	0.000	0.438	0.427	0.400	2.7	< 30	109.5	106.7	50 - 150	1
Bifenthrin	0.000	0.654	0.653	0.400	0.2	< 30	163.5	163.1	50 - 150	Q1
Boscalid	0.000	0.860	0.948	0.800	9.7	< 30	107.6	118.6	50 - 150	
Carbaryl	0.000	0.465	0.465	0.400	0.1	< 30	116.1	116.2	50 - 150	1
Carbofuran	0.000	0,464	0.475	0.400	2.5	< 30	115.9	118.9	50 - 150	1
Chlorantraniliprol	0.000	0.427	0.435	0.400	1.7	< 30	106.9	108.7	50 - 150	1
Chlorfenapyr	0.000	2.700	2.947	2.000	8.8	< 30	135.0	147.4	50 - 150	1
Chlorpyrifos	0.000	0.428	0.418	0.400	2.3	< 30	107.0	104.6	50 - 150	1
Clofentezine	0.000	0.426	0.501	0.400	1.0	< 30	124.0	125.2	50 - 150	1
Cyfluthrin	0.000	2.292	2.529	2.000	9.9	< 30	114.6	126.5	30 - 150	
Cypermethrin	0.000	2.592	2.746	2.000	5.8	< 30	129.6	137.3	50 - 150	
Daminozide	0.000	2.068	2.065	2.000	0.1	< 30	103.4	103.3	30 - 150	1
Diazinon	0.000	0.500	0.484	0.400	3.2	< 30	125.0	103.3	50 - 150	-
Dichlorvos	0.000	2.277	2.339	2.000	2.7	< 30	113.8	117.0	50 - 150	1
Dimethoat	0.000	0.435	0.447	0.400	2.7	< 30	108.8	117.0	50 - 150	1
Ethoprophos	0.000	0.433	0.447	0.400	2.7	< 30	108.6	105.7	50 - 150	-
Etofenprox	0.000	0.941	1.005	0.400	6.6	< 30	103.0	125.6	50 - 150	+
Etoxazol	0.000	0.341	0.424	0.400	2.4	< 30	103.4	125.0	50 - 150	I
Fenoxycarb	0.000	0.414	0.424	0.400	1.8	< 30	103.4	114.5	50 - 150	+
Fenpyroximat	0.000	0.430	1.035	0.400	7.4	< 30	112.5	129.4	50 - 150	I
Fipronil	0.000	0.961	0.980	0.800	2.5	< 30	119.5	129.4	50 - 150	
Flonicamid	0.000	1.175	1.144	1.000	2.5	< 30	119.5	122.5		I
Fludioxonil	0.000	0.838	0.864	0.800	3.1	< 30 < 30	104.7	108.0	50 - 150 50 - 150	
Hexythiazox	0.000		2.063				202.4	206.3		Q1
Imazalil	0.000	0.416	0.443	0.400	6.3 3.4	< 30 < 30	104.1	110.9	50 - 150 50 - 150	-
Imidacloprid	0.000	0.956	0.924				119.5	115.5		
Kresoxim-Methyl	0.000	0.886	0.926	0.800	4.4	< 30	110.8	115.7	50 - 150	
Malathion	0.000	0.525	0.505	0.400	3.9	< 30	131.2	126.2 117.0	50 - 150	I
Metalaxyl	0.000	0.451	0.468	0.400	3.6	< 30	112.9		50 - 150	
Methiocarb	0.000	0.448	0.485	0.400	8.1	< 30	111.9	121.4	50 - 150	L
Methomyl	0.000	0.819	0.812	0.800	0.9	< 30	102.4	101.5	50 - 150	
MGK 264	0.000	0.513	0.503	0.400	1.8	< 30	128.2	125.9	50 - 150	
Myclobutanil	0.000	0.425	0.429	0.400	1.0	< 30	106.3	107.3	50 - 150	
Naled	0.000	1.157	1.160	1.000	0.3	< 30	115.7	116.0	50 - 150	
Oxamyl	0.000	1.893	1.884	2.000	0.4	< 30	94.6	94.2	50 - 150	
Paclobutrazol	0.000	0.917	0.929	0.800	1.3	< 30	114.6	116.1	50 - 150	
Parathion Methyl	0.000	0.936	0.811	0.800	14.2	< 30	116.9	101.4	30 - 150	
Permethrin	0.000	0.516	0.536	0.400	3.8	< 30	129.0	133.9	50 - 150	
Phosmet	0.000	0.429	0.449	0.400	4.7	< 30	107.2	112.3	50 - 150	
Piperonyl butoxide	0.000	2.363	2.297	2.000	2.9	< 30	118.2	114.8	50 - 150	
Prallethrin	0.000	0.621	0.626	0.400	0.8	< 30	155.4	156.6	50 - 150	Q1
Propiconazole	0.000	0.884	0.926	0.800	4.6	< 30	110.5	115.8	50 - 150	
Propoxur	0.000	0.435	0.451	0.400	3.8	< 30	108.7	112.9	50 - 150	
Pyrethrins	0.000	0.502	0.509	0.413	1.3	< 30	121.6	123.2	50 - 150	
Pyridaben	0.000	0.473	0.489	0.400	3.4	< 30	118.2	122.2	50 - 150	
Spinosad	0.000	0.416	0.430	0.388	3.2	< 30	107.3	110.8	50 - 150	1
Spiromesifen	0.000	0.243	0.233	0.400	4.0	< 30	60.7	58.3	50 - 150	
Spirotetramat	0.000	0.416	0.431	0.400	3.6	< 30	103.9	107.7	50 - 150	1
Spiroxamine	0.000	0.831	0.836	0.800	0.6	< 30	103.9	104.5	50 - 150	1
Febuconazol	0.000	0.914	0.918	0.800	0.4	< 30	114.3	114.7	50 - 150	
Thiacloprid	0.000	0.443	0.435	0.400	1.9	< 30	110.8	108.7	50 - 150	1
Thiamethoxam	0.000	0.450	0.423	0.400	6.3	< 30	112.5	105.7	50 - 150	
Trifloxystrobin	0.000	0.463	0.455	0.400	1.1	< 30	115.7	113.8	50 - 150	+

Revised: 08/12/2019 Effective: 08/15/2019

Page 12 of 13

Page 12 of 13 <u>www.columbialaboratories.com</u> Page 12 of 13 Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.





Report Number: 20-005322/D10.R01 **Report Date:** 06/09/2020 **ORELAP#:** OR100028 **Purchase Order: Received:** 05/22/20 16:25

Explanation of QC Flag Comments:

Code	Explanation
Q	Matrix interferences affecting spike or surrogate recoveries.
Q1	Quality control result biased high. Only non-detect samples reported.
Q2	Quality control outside QC limits. Data considered estimate.
Q3	Sample concentration greater than four times the amount spiked.
Q4	Non-homogenous sample matrix, affecting RPD result and/or % recoveries.
Q5	Spike results above calibration curve.
Q6	Quality control outside QC limits. Data acceptable based on remaining QC.
R	Relative percent difference (RPD) outside control limit.
R1	RPD non-calculable, as sample or duplicate results are less than five times the LOQ.
R2	Sample replicates RPD non-calculable, as only one replicate is within the analytical range.
LOQ1	Quantitation level raised due to low sample volume and/or dilution.
LOQ2	Quantitaion level raised due to matrix interference.
В	Analyte detected in method blank, but not in associated samples.
B1	The sample concentration is greater than 5 times the blank concentration.
B2	The sample concentration is less than 5 times the blank concentration.

Page 13 of 13

Page 13 of 13 Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.