

# Hemp Quality Assurance Testing **CERTIFICATE OF ANALYSIS**

DATE ISSUED 10/19/2021

## SAMPLE NAME: Serene 1000mg Infused, Hemp Infused

# **CULTIVATOR / MANUFACTURER**

**Business Name:** License Number: Address:

## **DISTRIBUTOR / TESTED FOR** Business Name: SVG CBD

License Number: Address: 7 Vanderbilt Irvine CA 92618

## SAMPLE DETAIL

**Batch Number:** Sample ID: 211015L033

Date Collected: 10/15/2021 Date Received: 10/16/2021 Batch Size: Sample Size: 1.0 milliliters Unit Mass: 30 milliliters per Unit Serving Size:



Scan QR code to verify authenticity of results.

## **CANNABINOID ANALYSIS - SUMMARY**

**Total THC: Not Detected** 

Total CBD: 1100.520 mg/unit

Total Cannabinoids: 1105.230 mg/unit

#### Total THC/CBD is calculated using the following formulas to take into account the loss of a carboxyl group during the decarboxylation step: Total THC = $\triangle$ 9THC + (THCa (0.877)) Total CBD = CBD + (CBDa (0.877)) Sum of Cannabinoids = $\Delta$ 9THC + THCa + CBD + CBDa + CBG + CBGa + Sum of Cannabinoids: 1105.230 mg/unit THCV + THCVa + CBC + CBCa + CBDV + CBDVa + Δ8THC + CBL + CBN Total Cannabinoids = $(\Delta 9THC + 0.877*THCa) + (CBD + 0.877*CBDa) +$ (CBG+0.877\*CBGa) + (THCV+0.877\*THCVa) + (CBC+0.877\*CBCa) + (CBDV+0.877\*CBDVa) + ∆8THC + CBL + CBN

SAFETY ANALYSIS - SUMMARY

Pesticides: **PASS** 

Microbiology (PCR): PASS

Residual Solvents: **PASS** Microbiology (Plating): 
PASS Heavy Metals: **PASS** 

Density: 1.1414 g/mL

For quality assurance purposes. Not a Pre-Harvest Hemp Lab Test Report. These results relate only to the sample included on this report. This report shall not be reproduced, except in full, without written approval of the laboratory

Sample Certification: Action Limits used in this report are a compilation of guidance from state regulatory agencies in all states. Action limits for required tests are either state-specific, or the lower of any conflicting state regulations based upon the panel requested.

Decision Rule: Statements of conformity (e.g. Pass/Fail) to specifications are made in this report without taking measurement uncertainty into account. Where statements of conformity are made in this report, the following decision rules are applied: PASS - Results within limits/specifications, FAIL - Results exceed limits/specifications,

References: limit of detection (LOD), limit of quantification (LOQ), not detected (ND), not tested (NT), too numerous to count >250 cfu/plate (TNTC), colony-forming unit (cfu)

oproved by: Josh Wurzer, President ate: 10/19/2021 Kelsey Cochran ate: 10/19/2021

SC Laboratories California LLC. | 100 Pioneer Street, Suite E, Santa Cruz, CA 95060 | 866-435-0709 | sclabs.com | C8-0000013-LIC | ISO/IES 17025:2017 PJLA Accreditation Number 87168 © 2021 SC Labs all rights reserved. Trademarks referenced are trademarks of either SC Labs or their respective owners. MKT0002 REV8 6/21 CoA ID: 211015L033-001 Summary Page

# Hemp Quality Assurance Testing CERTIFICATE OF ANALYSIS

SERENE 1000MG | DATE ISSUED 10/19/2021



Tested by high-performance liquid chromatography with diode-array detection (HPLC-DAD).

Method: QSP 1157 - Analysis of Cannabinoids by HPLC-DAD

TOTAL THC: Not Detected

Total THC (Δ9THC+0.877\*THCa)

### TOTAL CBD: 1100.520 mg/unit

Total CBD (CBD+0.877\*CBDa)

## TOTAL CANNABINOIDS: 1105.230 mg/unit

Total Cannabinoids (Total THC) + (Total CBD) + (Total CBG) + (Total THCV) + (Total CBC) + (Total CBDV) +  $\Delta$ 8THC + CBL + CBN

## TOTAL CBG: ND

Total CBG (CBG+0.877\*CBGa)

## TOTAL THCV: ND

Total THCV (THCV+0.877\*THCVa)

# TOTAL CBC: ND

Total CBC (CBC+0.877\*CBCa)

# TOTAL CBDV: 4.710 mg/unit

Total CBDV (CBDV+0.877\*CBDVa)

### CANNABINOID TEST RESULTS - 10/17/2021

| COMPOUND     | LOD/LOQ<br>(mg/mL) | MEASUREMENT<br>mg/mL | RESULT<br>(mg/mL) | RESULT<br>(%) |
|--------------|--------------------|----------------------|-------------------|---------------|
| CBD          | 0.004/0.011        | ±1.7572              | 36.684            | 3.2139        |
| CBDV         | 0.002/0.012        | ±0.0082              | 0.157             | 0.0138        |
| <b>Δ9THC</b> | 0.002/0.014        | N/A                  | ND                | ND            |
| THCa         | 0.001 / 0.005      | N/A                  | ND                | ND            |
| ∆8THC        | 0.01/0.02          | N/A                  | ND                | ND            |
| THCV         | 0.002/0.012        | N/A                  | ND                | ND            |
| THCVa        | 0.002/0.019        | N/A                  | ND                | ND            |
| CBDa         | 0.001 / 0.026      | N/A                  | ND                | ND            |
| CBDVa        | 0.001/0.018        | N/A                  | ND                | ND            |
| CBG          | 0.002 / 0.006      | N/A                  | ND                | ND            |
| CBGa         | 0.002/0.007        | N/A                  | ND                | ND            |
| CBL          | 0.003/0.010        | N/A                  | ND                | ND            |
| CBN          | 0.001 / 0.007      | N/A                  | ND                | ND            |
| CBC          | 0.003/0.010        | N/A                  | ND                | ND            |
| CBCa         | 0.001/0.015        | N/A                  | ND                | ND            |
| SUM OF CANNA |                    |                      | 36.841 mg/mL      | 3.2277%       |

#### Unit Mass: 30 milliliters per Unit

| Δ9THC per Unit               | ND               |
|------------------------------|------------------|
| Total THC per Unit           | ND               |
| CBD per Unit                 | 1100.520 mg/unit |
| Total CBD per Unit           | 1100.520 mg/unit |
| Sum of Cannabinoids per Unit | 1105.230 mg/unit |
| Total Cannabinoids per Unit  | 1105.230 mg/unit |

## DENSITY TEST RESULT

#### 1.1414 g/mL

Tested 10/17/2021

Method: QSP 7870 - Sample Preparation



# Hemp Quality Assurance Testing CERTIFICATE OF ANALYSIS

SERENE 1000MG | DATE ISSUED 10/19/2021

# Pesticide Analysis

Pesticide and plant growth regulator analysis utilizing high-performance liquid chromatography-mass spectrometry (HPLC-MS) or gas chromatography-mass spectrometry (GC-MS).

\*GC-MS utilized where indicated.

**Method:** QSP 1212 - Analysis of Pesticides and Mycotoxins by LC-MS or QSP 1213 - Analysis of Pesticides by GC-MS

Exclusions<sup>1</sup> see last page

# PESTICIDE TEST RESULTS - 10/17/2021 🔗 PASS

| COMPOUND          | LOD/LOQ<br>(µg/g) | ACTION LIMIT<br>(µg/g) | MEASUREMENT<br>µg/g | RESULT<br>(µg/g) | RESULT |
|-------------------|-------------------|------------------------|---------------------|------------------|--------|
| Abamectin         | 0.03/0.10         | 0.3                    | N/A                 | ND               | PASS   |
| Azoxystrobin      | 0.01/0.04         | 40                     | N/A                 | ND               | PASS   |
| Bifenazate        | 0.01/0.02         | 5                      | N/A                 | ND               | PASS   |
| Bifenthrin        | 0.01/0.02         | 0.5                    | N/A                 | ND               | PASS   |
| Boscalid          | 0.02/0.06         | 10                     | N/A                 | ND               | PASS   |
| Chlorpyrifos      | 0.02/0.06         | ≥LOD                   | N/A                 | ND               | PASS   |
| Cypermethrin      | 0.1/0.3           | 1                      | N/A                 | ND               | PASS   |
| Etoxazole         | 0.010/0.028       | 1.5                    | N/A                 | ND               | PASS   |
| Hexythiazox       | 0.01/0.04         | 2                      | N/A                 | ND               | PASS   |
| Imidacloprid      | 0.01/0.04         | 3                      | N/A                 | ND               | PASS   |
| Malathion         | 0.02/0.05         | 5                      | N/A                 | ND               | PASS   |
| Myclobutanil      | 0.03/0.1          | 9                      | N/A                 | ND               | PASS   |
| Permethrin        | 0.03/0.09         | 20                     | N/A                 | ND               | PASS   |
| Piperonylbutoxide | 0.003/0.009       | 8                      | N/A                 | ND               | PASS   |
| Propiconazole     | 0.01/0.03         | 20                     | N/A                 | ND               | PASS   |
| Spiromesifen      | 0.02 / 0.05       | 12                     | N/A                 | ND               | PASS   |
| Tebuconazole      | 0.02/0.07         | 2                      | N/A                 | ND               | PASS   |
| Trifloxystrobin   | 0.01/0.03         | 30                     | N/A                 | ND               | PASS   |
|                   |                   |                        |                     |                  |        |



SC Laboratories California LLC. | 100 Pioneer Street, Suite E, Santa Cruz, CA 95060 | 866-435-0709 | sclabs.com | C8-0000013-LIC | ISO/IES 17025:2017 PJLA Accreditation Number 87168 © 2021 SC Labs all rights reserved. Trademarks referenced are trademarks of either SC Labs or their respective owners. MKT0002 REV8 6/21 CoA ID: 211015L033-001 Page 3 of 5

# Hemp Quality Assurance Testing CERTIFICATE OF ANALYSIS


SERENE 1000MG | DATE ISSUED 10/19/2021



Residual Solvent analysis utilizing gas chromatography-mass spectrometry (GC-MS).

Method: QSP 1204 - Analysis of Residual Solvents by GC-MS

Exclusions<sup>2</sup> see last page



| COMPOUND           | LOD/LOQ<br>(µg/g) | ACTION LIMIT<br>(µg/g) | MEASUREMENT<br>µg/g | RESULT<br>(µg/g)                 | RESULT |
|--------------------|-------------------|------------------------|---------------------|----------------------------------|--------|
| Propane            | 10/20             | 5000                   | N/A                 | ND                               | PASS   |
| Butane             | 10/50             | 5000                   | N/A                 | ND                               | PASS   |
| Pentane            | 20/50             | 5000                   | N/A                 | ND                               | PASS   |
| Hexane             | 2/5               | 290                    | N/A                 | ND                               | PASS   |
| Heptane            | 20/60             | 5000                   | N/A                 | ND                               | PASS   |
| Benzene            | 0.03/0.09         | 1                      | N/A                 | ND                               | PASS   |
| Toluene            | 7/21              | 890                    | N/A                 | ND                               | PASS   |
| Total Xylenes      | 50 / 160          | 2170                   | N/A                 | ND                               | PASS   |
| Methanol           | 50 / 200          | 3000                   | N/A                 | ND                               | PASS   |
| Ethanol            | 20/50             | 5000                   | ±38.4               | 1011                             | PASS   |
| Isopropyl Alcohol  | 10/40             | 5000                   | N/A                 | <loq< th=""><th>PASS</th></loq<> | PASS   |
| Acetone            | 20/50             | 5000                   | N/A                 | ND                               | PASS   |
| Ethyl ether        | 20/50             | 5000                   | N/A                 | ND                               | PASS   |
| Ethylene Oxide     | 0.3/0.8           | 1                      | N/A                 | ND                               | PASS   |
| Ethyl acetate      | 20/60             | 5000                   | ±10.8               | 245                              | PASS   |
| Chloroform         | 0.1/0.2           | 1                      | N/A                 | ND                               | PASS   |
| Methylene chloride | 0.3/0.9           | 1                      | N/A                 | ND                               | PASS   |
| Trichloroethylene  | 0.1/0.3           | 1                      | N/A                 | ND                               | PASS   |
| 1,2-Dichloroethane | 0.05 / 0.1        | 1                      | N/A                 | ND                               | PASS   |
| Acetonitrile       | 2/7               | 410                    | N/A                 | ND                               | PASS   |

# HEAVY METALS TEST RESULTS - 10/16/2021 O PASS

| COMPOUND | LOD/LOQ<br>(µg/g) | ACTION LIMIT<br>(µg/g) | MEASUREMENT<br>µg/g | RESULT<br>(µg/g) | RESULT |
|----------|-------------------|------------------------|---------------------|------------------|--------|
| Arsenic  | 0.02/0.1          | 0.42                   | N/A                 | ND               | PASS   |
| Cadmium  | 0.02/0.05         | 0.27                   | N/A                 | ND               | PASS   |
| Lead     | 0.04 / 0.1        | 0.5                    | N/A                 | ND               | PASS   |
| Mercury  | 0.002/0.01        | 0.4                    | N/A                 | ND               | PASS   |



# **Heavy Metals Analysis**

Heavy metal analysis utilizing inductively coupled plasma-mass spectrometry (ICP-MS).

Method: QSP 1160 - Analysis of Heavy Metals by ICP-MS



SC Laboratories California LLC. | 100 Pioneer Street, Suite E, Santa Cruz, CA 95060 | 866-435-0709 | sclabs.com | C8-0000013-LIC | ISO/IES 17025:2017 PJLA Accreditation Number 87168 © 2021 SC Labs all rights reserved. Trademarks referenced are trademarks of either SC Labs or their respective owners. MKT0002 REV8 6/21 CoA ID: 211015L033-001 Page 4 of 5

# Hemp Quality Assurance Testing CERTIFICATE OF ANALYSIS

SERENE 1000MG | DATE ISSUED 10/19/2021



# Microbiology Analysis

PCR AND PLATING

Analysis conducted by polymerase chain reaction (PCR) and fluorescence detection of microbiological contaminants.

Method: QSP 1221 - Analysis of Microbiological Contaminants

# MICROBIOLOGY TEST RESULTS (PCR) - 10/19/2021 🔗 PASS

| COMPOUND                               | ACTION LIMIT<br>(cfu/g) | RESULT<br>(cfu/g) | RESULT |
|--|-------------------------|-------------------|--------|
| Shiga toxin-producing Escherichia coli | Not Detected in 1g      | ND                | PASS   |
| Salmonella spp.                        | Not Detected in 1g      | ND                | PASS   |
| Bile-Tolerant Gram-Negative Bacteria   | 100                     | ND                | PASS   |
| Staphylococcus aureus                  | Not Detected in 1g      | ND                | PASS   |

Analysis conducted by  $3M^{\text{TM}}$  Petrifilm<sup>TM</sup> and plate counts of microbiological contaminants.

Method: QSP 6794 - Plating with 3M<sup>™</sup> Petrifilm<sup>™</sup>

## MICROBIOLOGY TEST RESULTS (PLATING) - 10/19/2021 🔗 PASS

| COMPOUND               | ACTION LIMIT<br>(cfu/g) | RESULT<br>(cfu/g) | RESULT |  |
|------------------------|-------------------------|-------------------|--------|--|
| Total Aerobic Bacteria | 100                     | ND                | PASS   |  |
| Total Yeast and Mold   | 10                      | ND                | PASS   |  |

### NOTES

 Exclusions: Sample Certification: California Code of Regulation Title 4 Division 19
 Exclusions: Sample Certification: California Code of Regulation Title 4 Division 19

