

Hemp Quality Assurance Testing

CERTIFICATE OF ANALYSIS

DATE ISSUED 05/30/2021

SAMPLE NAME: cbdMD Revive 2 oz 300 mg Squeeze

Infused, Non-Inhalable

CULTIVATOR / MANUFACTURER

Business Name: License Number:

Address:

SAMPLE DETAIL

Batch Number: 21138 **Sample ID:** 210526S009

DISTRIBUTOR / TESTED FOR

Business Name: cbdMD License Number:

Address:

Date Collected: 05/26/2021 **Date Received:** 05/26/2021

Batch Size:

Sample Size: 1.0 units
Unit Mass: 60 grams per Unit
Serving Size: 1 grams per Serving







Scan QR code to verify authenticity of results.

CANNABINOID ANALYSIS - SUMMARY

Total THC: Not Detected

Total THC/CBD is calculated using the following formulas to take into account the loss of a carboxyl group during the decarboxylation step: Total THC = Δ 9THC + (THCa (0.877))

Total CBD: 355.320 mg/unit Total CBD = CBD + (CBDa (0.877))

Sum of Cannabinoids = Δ 9THC + THCa + CBD + CBDa + CBG + CBGa +

Sum of Cannabinoids: 366.600 mg/unit THCV + THCV + THCV + CBC + CBC + CBDV + CBDV + ASTHC + CBL + CBN

Total Cannabinoids = $(\Delta 97HC+0.877*THCa) + (CBD+0.877*CBDa) + (CBG+0.877*CBGa) + (THCV+0.877*THCVa) + (CBC+0.877*CBCa) + (CBC$

Total Cannabinoids: 366.600 mg/unit (CBDV+0.877*CBDVa) + Δ8THC + CBL + CBN

TERPENOID ANALYSIS - SUMMARY

39 TESTED, TOP 3 HIGHLIGHTED

Total Terpenoids: 0.4049%

Menthol 0.869 mg/g

Limonene 0.607 mg/g

a Pinene 0.562 mg/g

SAFETY ANALYSIS - SUMMARY

∆9THC per Unit: **⊘PASS**

Pesticides: PASS

Mycotoxins: PASS

Heavy Metals: PASS

Microbiology (Plating): ND

For quality assurance purposes. Not a Pre-Harvest Hemp Lab Test Report. These results relate only to the sample included on this report. This report shall not be reproduced, except in full, without written approval of the laboratory.

Sample Certification: California Code of Regulations Title 16 Effect Date January 16, 2019. Authority: Section 26013, Business and Professions Code. Reference: Sections 26100, 26104 and 26110, Business and Professions Code.

Decision Rule: Statements of conformity (e.g. Pass/Fail) to specifications are made in this report without taking measurement uncertainty into account. Where statements of conformity are made in this report, the following decision rules are applied: PASS - Results within limits/specifications. FAIL - Results exceed limits/specifications.

 $\label{eq:References: limit of detection (LOD), limit of quantification (LOQ), not detected (ND), not tested (NT), too numerous to count > 250 cfu/plate (TNTC), colony-forming unit (cfu)$

LOC verified by: Randi Vuong Date: 05/30/2021

Approved by: Josh Wurzer, President
Date: 05/30/2021





CBDMD REVIVE 2 OZ 300 MG SQUEEZE | DATE ISSUED 05/30/2021



Tested by high-performance liquid chromatography with diode-array detection (HPLC-DAD).

Method: QSP 1157 - Analysis of Cannabinoids by HPLC-DAD

TOTAL THC: Not Detected Total THC (Δ9THC+0.877*THCa)

TOTAL CBD: 355.320 mg/unit

Total CBD (CBD+0.877*CBDa)

TOTAL CANNABINOIDS: 366.600 mg/unit

Total Cannabinoids (Total THC) + (Total CBD) + (Total CBG) + (Total THCV) + (Total CBC) + (Total CBDV) + Δ 8THC + CBL + CBN

TOTAL CBG: 7.320 mg/unit

Total CBG (CBG+0.877*CBGa)

TOTAL THCV: ND

Total THCV (THCV+0.877*THCVa)

TOTAL CBC: ND

Total CBC (CBC+0.877*CBCa)

TOTAL CBDV: 1.380 mg/unit
Total CBDV (CBDV+0.877*CBDVa)

CANNABINOID TEST RESULTS - 05/28/2021

| | COMPOUND | LOD/LOQ (mg/g) | MEASUREMENT UNCERTAINTY (mg/g) | RESULT (mg/g) | RESULT (%) |
|---|---------------|-------------------|-----------------------------------|------------------|---------------|
| | CBD | 0.004 / 0.011 | ±0.2837 | 5.922 | 0.5922 |
| | CBG | 0.002 / 0.006 | ±0.0076 | 0.122 | 0.0122 |
| | CBN | 0.001 / 0.007 | ±0.0016 | 0.043 | 0.0043 |
| | CBDV | 0.002/0.012 | ±0.0012 | 0.023 | 0.0023 |
| | Δ9ΤΗC | 0.002/0.014 | N/A | ND | ND |
| | Δ8ΤΗC | 0.01 / 0.02 | N/A | ND | ND |
| | THCa | 0.001 / 0.005 | N/A | ND | ND |
| Ī | THCV | 0.002/0.012 | N/A | ND | ND |
| t | THCVa | 0.002/0.019 | N/A | ND | ND |
| ١ | CBDa | 0.001 / 0.026 | N/A | ND | ND |
| | CBDVa | 0.001/0.018 | N/A | ND | ND |
| | CBGa | 0.002 / 0.007 | N/A | ND | ND |
| | CBL | 0.003 / 0.010 | N/A | ND | ND |
| | СВС | 0.003 / 0.010 | N/A | ND | ND |
| | CBCa | 0.001 / 0.015 | N/A | ND | ND |
| | SUM OF CANNAB | INOIDS | 6.110 mg/g | 0.611% | |

Unit Mass: 60 grams per Unit / Serving Size: 1 grams per Serving

| Δ9THC per Unit | 1120 per-package limit | ND | PASS |
|---------------------------------|------------------------|------------------|------|
| Δ9THC per Serving | | ND | |
| Total THC per Unit | | ND | |
| Total THC per Serving | | ND | |
| CBD per Unit | | 355.320 mg/unit | |
| CBD per Serving | | 5.922 mg/serving | |
| Total CBD per Unit | | 355.320 mg/unit | |
| Total CBD per Serving | | 5.922 mg/serving | |
| Sum of Cannabinoids per Unit | | 366.600 mg/unit | |
| Sum of Cannabinoids per Serving | | 6.110 mg/serving | |
| Total Cannabinoids per Unit | | 366.600 mg/unit | |
| Total Cannabinoids per Serving | | 6.110 mg/serving | |











Terpenoid Analysis

Terpene analysis utilizing gas chromatographyflame ionization detection (GC-FID).

Method: QSP 1192 - Analysis of Terpenoids by GC-FID



Menthol

A monoterpenoid alcohol with a fragrance that can be described as fresh, cool and herbal. It is responsible for the distinct odor of mint. It is frequently added to cigarettes and mouthwash as a flavorant. Found in mint, sunflower, micromeria, mountain mint, rose geranium, pennyroyal, tarragon, savory, basil, juniper, couch grass, rhubarb, acinos (basil thyme), ironwort, muña...etc.



Limonene

A monoterpene with a fragrance that can be described as orangey, citrusy, sweet and tart. It is most commonly found in nature as D-Limonene and is a primary contributor to the distinct scent of orange peels, from which it is commonly derived. Found in numerous pines, red maple, silver maple, aspens, cottonwoods, hemlocks, sumac, cedar, junipers...etc.



α Pinene

One of two isomers of the monoterpene Pinene, the most abundant terpene in the natural world. It is responsible for the distinct aroma of many coniferous trees, particularly pines, from which it derives its name. It is a primary constituent of turpentine. Found in pines, rose gun, parsley, frankincense, guava, juniper, rosemary, nutmeg, blue gum, valerian...etc.



| COMPOUND | LOD/LOQ (mg/g) | MEASUREMENT UNCERTAINTY (mg/g) | RESULT (mg/g) | RESULT (%) |
|-----------------------|-------------------|-----------------------------------|---|---------------------|
| Menthol | 0.008 / 0.025 | ±0.0348 | 0.869 | 0.0869 |
| Limonene | 0.005 / 0.016 | ±0.0087 | 0.607 | 0.0607 |
| α Pinene | 0.005 / 0.017 | ±0.0048 | 0.562 | 0.0562 |
| Camphor | 0.006 / 0.019 | ±0.0153 | 0.430 | 0.0430 |
| β Caryophyllene | 0.004 / 0.012 | ±0.0119 | 0.333 | 0.0333 |
| Eucalyptol | 0.006 / 0.018 | ±0.0076 | 0.299 | 0.0299 |
| Camphene | 0.005 / 0.015 | ±0.0021 | 0.181 | 0.0181 |
| α Bisabolol | 0.008/0.026 | ±0.0072 | 0.134 | 0.0134 |
| Borneol | 0.005 / 0.016 | ±0.0051 | 0.122 | 0.0122 |
| Linalool | 0.009/0.032 | ±0.0037 | 0.097 | 0.0097 |
| Citronellol | 0.003 / 0.010 | ±0.0043 | 0.089 | 0.0089 |
| βPinene | 0.004 / 0.014 | ±0.0009 | 0.076 | 0.0076 |
| Terpineol | 0.016 / 0.055 | ±0.0036 | 0.058 | 0.0058 |
| Geraniol | 0.002 / 0.007 | ±0.0017 | 0.038 | 0.0038 |
| Myrcene | 0.008 / 0.025 | ±0.0005 | 0.036 | 0.0036 |
| p-Cymene | 0.005/0.016 | ±0.0008 | 0.029 | 0.0029 |
| 3 Carene | 0.005/0.018 | ±0.0004 | 0.025 | 0.0025 |
| (-)-Isopulegol | 0.005/0.016 | ±0.0010 | 0.025 | 0.0025 |
| R-(+)-Pulegone | 0.003/0.011 | ±0.0009 | 0.022 | 0.0022 |
| Isoborneol | 0.004/0.012 | ±0.0007 | 0.017 | 0.0017 |
| γTerpinene | 0.006 / 0.018 | N/A | <loq< td=""><td><loq< td=""></loq<></td></loq<> | <loq< td=""></loq<> |
| Sabinene | 0.004 / 0.014 | N/A | ND | ND |
| α Phellandrene | 0.006 / 0.020 | N/A | ND | ND |
| αTerpinene | 0.005 / 0.017 | N/A | ND | ND |
| Ocimene | 0.011/0.038 | N/A | ND | ND |
| Sabinene Hydrate | 0.006 / 0.022 | N/A | ND | ND |
| Fenchone | 0.009/0.028 | N/A | ND | ND |
| Terpinolene | 0.008 / 0.026 | N/A | ND | ND |
| Fenchol | 0.010 / 0.034 | N/A | ND | ND |
| Nerol | 0.003/0.011 | N/A | ND | ND |
| Geranyl Acetate | 0.004 / 0.014 | N/A | ND | ND |
| α Cedrene | 0.005 / 0.016 | N/A | ND | ND |
| trans-β-Farnesene | 0.008 / 0.025 | N/A | ND | ND |
| α Humulene | 0.009 / 0.029 | N/A | ND | ND |
| Valencene | 0.009 / 0.030 | N/A | ND | ND |
| Nerolidol | 0.009 / 0.028 | N/A | ND | ND |
| Caryophyllene Oxide | 0.010 / 0.033 | N/A | ND | ND |
| Guaiol | 0.009 / 0.030 | N/A | ND | ND |
| Cedrol | 0.008 / 0.027 | N/A | ND | ND |
| TOTAL TERPENOIDS | | | 4.049 mg/g | 0.4049% |
| | | | | |







CBDMD REVIVE 2 OZ 300 MG SQUEEZE | DATE ISSUED 05/30/2021



Pesticide Analysis

CATEGORY 1 AND 2 PESTICIDES

Pesticide and plant growth regulator analysis utilizing high-performance liquid chromatography-mass spectrometry (HPLC-MS) or gas chromatography-mass spectrometry (GC-MS).

*GC-MS utilized where indicated.

Method: QSP 1212 - Analysis of Pesticides and Mycotoxins by LC-MS or QSP 1213 - Analysis of Pesticides by GC-MS

CATEGORY 1 PESTICIDE TEST RESULTS - 05/28/2021 PASS

| | COMPOUND | LOD/LOQ (µg/g) | ACTION LIMIT (µg/g) | MEASUREMENT UNCERTAINTY (μg/g) | RESULT (µg/g) | RESULT |
|---|-------------------|-------------------|------------------------|-----------------------------------|------------------|--------|
| Ī | Aldicarb | 0.03 / 0.08 | ≥LOD | N/A | ND | PASS |
| | Carbofuran | 0.02 / 0.05 | ≥LOD | N/A | ND | PASS |
| | Chlordane* | 0.03 / 0.08 | ≥LOD | N/A | ND | PASS |
| Ī | Chlorfenapyr* | 0.03 / 0.10 | ≥LOD | N/A | ND | PASS |
| Ī | Chlorpyrifos | 0.02 / 0.06 | ≥LOD | N/A | ND | PASS |
| | Coumaphos | 0.02 / 0.07 | ≥LOD | N/A | ND | PASS |
| | Daminozide | 0.02 / 0.07 | ≥LOD | N/A | ND | PASS |
| Ī | DDVP (Dichlorvos) | 0.03 / 0.09 | ≥LOD | N/A | ND | PASS |
| | Dimethoate | 0.03 / 0.08 | ≥LOD | N/A | ND | PASS |
| Ī | Ethoprop(hos) | 0.03 / 0.10 | ≥LOD | N/A | ND | PASS |
| | Etofenprox | 0.02 / 0.06 | ≥LOD | N/A | ND | PASS |
| | Fenoxycarb | 0.03 / 0.08 | ≥LOD | N/A | ND | PASS |
| Ī | Fipronil | 0.03 / 0.08 | ≥LOD | N/A | ND | PASS |
| Ī | Imazalil | 0.02 / 0.06 | ≥LOD | N/A | ND | PASS |
| | Methiocarb | 0.02 / 0.07 | ≥LOD | N/A | ND | PASS |
| Ī | Methyl parathion | 0.03 / 0.10 | ≥LOD | N/A | ND | PASS |
| Ī | Mevinphos | 0.03 / 0.09 | ≥LOD | N/A | ND | PASS |
| | Paclobutrazol | 0.02 / 0.05 | ≥LOD | N/A | ND | PASS |
| | Propoxur | 0.03 / 0.09 | ≥LOD | N/A | ND | PASS |
| 4 | Spiroxamine | 0.03 / 0.08 | ≥LOD | N/A | ND | PASS |
| | Thiacloprid | 0.03 / 0.10 | ≥LOD | N/A | ND | PASS |
| - | | | | | | |

CATEGORY 2 PESTICIDE TEST RESULTS - 05/28/2021 PASS

| Abamectin | 0.03 / 0.10 | 0.3 | N/A | ND | PASS |
|---------------------|-------------|-----|-----|----|------|
| Acephate | 0.02 / 0.07 | 5 | N/A | ND | PASS |
| Acequinocyl | 0.02 / 0.07 | 4 | N/A | ND | PASS |
| Acetamiprid | 0.02 / 0.05 | 5 | N/A | ND | PASS |
| Azoxystrobin | 0.02 / 0.07 | 40 | N/A | ND | PASS |
| Bifenazate | 0.01 / 0.04 | 5 | N/A | ND | PASS |
| Bifenthrin | 0.02 / 0.05 | 0.5 | N/A | ND | PASS |
| Boscalid | 0.03 / 0.09 | 10 | N/A | ND | PASS |
| Captan | 0.19/0.57 | 5 | N/A | ND | PASS |
| Carbaryl | 0.02 / 0.06 | 0.5 | N/A | ND | PASS |
| Chlorantraniliprole | 0.04 / 0.12 | 40 | N/A | ND | PASS |
| Clofentezine | 0.03/0.09 | 0.5 | N/A | ND | PASS |
| Cyfluthrin | 0.12 / 0.38 | 1 | N/A | ND | PASS |
| Cypermethrin | 0.11/0.32 | 1 | N/A | ND | PASS |
| Diazinon | 0.02 / 0.05 | 0.2 | N/A | ND | PASS |
| Dimethomorph | 0.03 / 0.09 | 20 | N/A | ND | PASS |
| Etoxazole | 0.02 / 0.06 | 1.5 | N/A | ND | PASS |
| Fenhexamid | 0.03 / 0.09 | 10 | N/A | ND | PASS |
| Fenpyroximate | 0.02 / 0.06 | 2 | N/A | ND | PASS |



Continued on next page





CBDMD REVIVE 2 OZ 300 MG SQUEEZE | DATE ISSUED 05/30/2021



Pesticide Analysis Continued

CATEGORY 1 AND 2 PESTICIDES

Pesticide and plant growth regulator analysis utilizing high-performance liquid chromatography-mass spectrometry (HPLC-MS) or gas chromatography-mass spectrometry (GC-MS).

*GC-MS utilized where indicated.

Method: QSP 1212 - Analysis of Pesticides and Mycotoxins by LC-MS or QSP 1213 - Analysis of Pesticides by GC-MS

CATEGORY 2 PESTICIDE TEST RESULTS - 05/28/2021 continued PASS

| COMPOUND | LOD/LOQ (µg/g) | ACTION LIMIT (µg/g) | MEASUREMENT UNCERTAINTY (μg/g) | RESULT (μg/g) | RESULT |
|--------------------------|-------------------|------------------------|-----------------------------------|------------------|--------|
| Flonicamid | 0.03 / 0.10 | 2 | N/A | ND | PASS |
| Fludioxonil | 0.03 / 0.10 | 30 | N/A | ND | PASS |
| Hexythiazox | 0.02 / 0.07 | 2 | N/A | ND | PASS |
| Imidacloprid | 0.04/0.11 | 3 | N/A | ND | PASS |
| Kresoxim-methyl | 0.02 / 0.07 | 1 | N/A | ND | PASS |
| Malathion | 0.03 / 0.09 | 5 | N/A | ND | PASS |
| Metalaxyl | 0.02 / 0.07 | 15 | N/A | ND | PASS |
| Methomyl | 0.03 / 0.10 | 0.1 | N/A | ND | PASS |
| Myclobutanil | 0.03 / 0.09 | 9 | N/A | ND | PASS |
| Naled | 0.02 / 0.07 | 0.5 | N/A | ND | PASS |
| Oxamyl | 0.04 / 0.11 | 0.2 | N/A | ND | PASS |
| Pentachloronitrobenzene* | 0.03 / 0.09 | 0.2 | N/A | ND | PASS |
| Permethrin | 0.04 / 0.12 | 20 | N/A | ND | PASS |
| Phosmet | 0.03 / 0.10 | 0.2 | N/A | ND | PASS |
| Piperonylbutoxide | 0.02 / 0.07 | 8 | N/A | ND | PASS |
| Prallethrin | 0.03 / 0.08 | 0.4 | N/A | ND | PASS |
| Propiconazole | 0.02 / 0.07 | 20 | N/A | ND | PASS |
| Pyrethrins | 0.04 / 0.12 | 1 | N/A | ND | PASS |
| Pyridaben | 0.02 / 0.07 | 3 | N/A | ND | PASS |
| Spinetoram | 0.02 / 0.07 | 3 | N/A | ND | PASS |
| Spinosad | 0.02 / 0.07 | 3 | N/A | ND | PASS |
| Spiromesifen | 0.02 / 0.05 | 12 | N/A | ND | PASS |
| Spirotetramat | 0.02 / 0.06 | 13 | N/A | ND | PASS |
| Tebuconazole | 0.02 / 0.07 | 2 | N/A | ND | PASS |
| Thiamethoxam | 0.03 / 0.10 | 4.5 | N/A | ND | PASS |
| Trifloxystrobin | 0.03 / 0.08 | 30 | N/A | ND | PASS |



Mycotoxin Analysis

Mycotoxin analysis utilizing high-performance liquid chromatography-mass spectrometry (HPLC-MS).

 $\begin{tabular}{ll} \textbf{Method:} QSP~1212 - Analysis~of~Pesticides~and~Mycotoxins~by\\ LC-MS \end{tabular}$

MYCOTOXIN TEST RESULTS - 05/28/2021 PASS

| | COMPOUND | LOD/LOQ (µg/kg) | ACTION LIMIT (μg/kg) | MEASUREMENT UNCERTAINTY (μg/kg) | RESULT (µg/kg) | RESULT |
|---|-----------------|--------------------|----------------------|------------------------------------|-------------------|--------|
| Ī | Aflatoxin B1 | 2.0 / 6.0 | | N/A | ND | |
| Ī | Aflatoxin B2 | 1.8 / 5.6 | | N/A | ND | |
| | Aflatoxin G1 | 1.0 / 3.1 | | N/A | ND | |
| Ī | Aflatoxin G2 | 1.2 / 3.5 | | N/A | ND | |
| Ī | Total Aflatoxin | | 20 | | ND | PASS |
| | Ochratoxin A | 6.3 / 19.2 | 20 | N/A | ND | PASS |





Hemp Quality Assurance Testing

CERTIFICATE OF ANALYSIS

CBDMD REVIVE 2 OZ 300 MG SQUEEZE | DATE ISSUED 05/30/2021



Heavy Metals Analysis

Heavy metal analysis utilizing inductively coupled plasma-mass spectrometry (ICP-MS).

Method: QSP 1160 - Analysis of Heavy Metals by ICP-MS

HEAVY METALS TEST RESULTS - 05/28/2021 **⊘ PASS**

| COMPOUND | LOD/LOQ (µg/g) | ACTION LIMIT (μg/g) | MEASUREMENT UNCERTAINTY (μg/g) | RESULT (μg/g) | RESULT |
|----------|-------------------|------------------------|-----------------------------------|------------------|--------|
| Arsenic | 0.02 / 0.1 | 1.5 | N/A | ND | PASS |
| Cadmium | 0.02 / 0.05 | 0.5 | N/A | ND | PASS |
| Lead | 0.04 / 0.1 | 0.5 | N/A | ND | PASS |
| Mercury | 0.002 / 0.01 | 3 | N/A | ND | PASS |



Microbiology Analysis

PCR AND PLATING

Analysis conducted by polymerase chain reaction (PCR) and fluorescence detection of microbiological contaminants.

Method: QSP 1221 - Analysis of Microbiological Contaminants

Analysis conducted by $3M^{TM}$ Petrifilm and plate counts of microbiological contaminants.

Method: QSP 6794 - Plating with 3M™ Petrifilm™

MICROBIOLOGY TEST RESULTS (PCR) - 05/30/2021 PASS

| COMPOUND | ACTION LIMIT | RESULT | RESULT |
|--|--------------|--------|--------|
| Shiga toxin-producing Escherichia coli | Detect | ND | PASS |
| Salmonella spp. | Detect | ND | PASS |
| Candida albicans | | ND | |
| Listeria monocytogenes | | ND | |

MICROBIOLOGY TEST RESULTS (PLATING) - 05/30/2021 ND

| COMPOUND | RESULT (cfu/g) |
|------------------------|-------------------|
| Total Aerobic Bacteria | ND |
| Total Yeast and Mold | ND |

