

KCA Laboratories 232 North Plaza Drive Nicholasville, KY 40356

+1-833-KCA-LABS https://kcalabs.com KDA Lic.# P_0058

Certificate of Analysis

1 of 1

HHC Disposable 2ml (2,000 mg)

Sample ID: SA-230228-17527 Batch: #ELHHC1GDP-AHZ010923 Type: Finished Products Matrix: Concentrate - Vape Unit Mass (g):

Received: 03/06/2023 Completed: 03/14/2023 Client

Elyxr 330 Wall St #1 Los Angeles, CA 90013





Summary

Cannabinoids

Date Tested 03/14/2023

Status Tested

NDTotal Δ9-THC

55.4 %

(6aR,9S,10aR)-HHC

96.1 %

Total Cannabinoids

Not Tested

Moisture Content

Not Tested

Foreign Matter

Yes

Internal Standard Normalization

Cannabinoids by HPLC-PDA, LC-MS/MS, and/or GC-MS/MS

Analyte	LOD	LOQ	Result	Result
	(%)	(%)//	(%)	(mg/g)
CBC	0.0095	0.0284	ND	ND
CBCV	0.006	0.018	ND	ND
CBD	0.0081	0.0242	ND	ND
CBDV	0.0061	0.0182	ND	ND
CBG	0.0057	0.0172	ND	ND
CBL	0.0112	0.0335	ND	ND
CBN	0.0056	0.0169	ND	ND
CBT	0.018	0.054	ND	ND
Δ8-ΤΗС	0.0104	0.0312	0.543	5.43
Δ9-THC	0.0076	0.0227	ND	ND
Δ9-THCV	0.0069	0.0206	ND	ND
(6aR,9R,10aR)-HHC	0.0067	0.02	40.1	401
(6aR,9S,10aR)-HHC	0.0067	0.02	55.4	554
Total Δ9-THC			ND	ND
Total CBD			ND	ND
Total			96.1	961

ND = Not Detected; NT = Not Tested; LOD = Limit of Detection; LOQ = Limit of Quantitation; RL = Reporting Limit; Δ = Delta; Total Δ 9-THC = Δ 9-THCA* 0.877 + Δ 9-THC, Total CBD = CBDA* 0.877 + CBD;

Generated By: Ryan Bellone CCO

Date: 03/14/2023

Tested By: Scott Caudill Senior Scientist Date: 03/14/2023









This product or substance has been tested by KCA Laboratories using validated testing methodologies and an ISO/IEC 170252017 accredited quality system. Values reported relate only to the product or substance tested. The reported result is based on a sample weight. Unless otherwise stated, results of tests performed on all quality control samples met criteria for acceptance established by KCA Laboratories. KCA Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected amounts of any substances reported herein. This Certificate of Analysis shall not be reproduced except in full, without the written approval of KCA Laboratories KCA Laboratories are provide measurement uncertainty upon request.